

LED Emergency IP65 Twin Spot

Spectrum DALI-2 12W LED Self-Test Emergency Twin Spot

Part Code: 09151

The Spectrum IP65 Twin Spot is IP65 as standard. Supplied as both Self-Test & Non-Self-Test, with 20mm side & rear entry and a 5-year guarantee.

- Selectable self-test or manual emergency mode
- Compact design & robust construction
- 20mm conduit side & rear entry
- Long life
- Low maintenance



5 Year
Guarantee



30,000
Life Hours



IP65
Rated



6500K
Colour Temperature

LED Emergency IP65 Twin Spot



Product Category Emergency Lighting / Emergency Lighting

Application Emergency Lighting

Product Warranty 5 Years

EAN 5013588003306

Commodity Code 8513100000


Country of Origin CN

Technical Specification

Wattage (W)	12
Volts (V)	220/240
Colour Temperature (K)	6000
Lumen Output (lm)	608
Lumens per Watt (lm/W)	51
Candelas	340
CRI (ra)	80
Frequency (Hz)	50/60
LED Drive Current	350mA
Energy Consumption (kWh/1000h)	12
Life Hours	30000
Switching Cycles	15000
IK Rating	IK06
IP Rating	IP65
Height (mm)	247
Operating Temperature	0°C - +35°C
Width (mm)	226
Depth (mm)	79
Individual Product Weight (kg)	0.77

Packaging Information

Minimum Order Quantity	1
Single Box Weight (kg)	0.92
Single Box Height (mm)	265
Single Box Width (mm)	242
Single Box Depth (mm)	87
Single Box Volume	0.00558
Outer Box Qty	10
Outer Box Barcode	0915100000010
Outer Box Weight (kg)	9
Outer Box Height (mm)	500
Outer Box Width (mm)	455
Outer Box Depth (mm)	285
Outer Box Volume	0.06484



LED Emergency IP65 Twin Spot

Construction	
Primary Material	Polycarbonate

Electrical Information	
Electric Class	Class II

LED Emergency IP65 Twin Spot

Additional Information	
Beam Angle	120°
Power Factor	>0.9
LED Chip	Samsung
Battery Type	LiFePO4