



02 Recessed Spots Fixed LED>The IP65 Mini Range

10102H/B/V



2W CCT Variable COB recessed spot .

Complete with black & brass reflectors.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification	
Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Mini Range
Order Code	10102H/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	40mm

Diameter	37mm
Cutout Hole Diameter	30mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Light Source	LED built in
LED Type	COB
LED Number	1

Gear	
Gear Type	Led Driver
Input Voltage	220-240V

50 Hz
60 Hz
Output
Dimmable
Brand
Protection

Yes
Yes
350mA
No
0
0

Illumination Data

Colour Temperature

3000K-3500K-4000K

Lumen Output

160lm

Light Efficiency

80lm/W

CRI

90

Beam Angle

30°

Illumination Diagram



Dark Light

Yes

Packing Info

Pcs/Carton

50

Barcode

5291889081494

HS Code

9405413990

Certification & Warranty

Warranty

5 years

switch to
one light!



02 Recessed Spots Fixed LED>The IP65 Mini Range

10102H/W/V



2W CCT Variable COB recessed spot .

Complete with white & black reflectors.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Mini Range
Order Code	10102H/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	40mm

Diameter	37mm
Cutout Hole Diameter	30mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Light Source	LED built in
LED Type	COB
LED Number	1

Gear	
Gear Type	Led Driver
Input Voltage	220-240V

50 Hz
60 Hz
Output
Dimmable
Brand
Protection

Yes
Yes
350mA
No
0
0

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K-3500K-4000K
160lm
80lm/W
90
30°

Yes

Packing Info

Pcs/Carton
Barcode
HS Code

50
5291889080602
9405413990

Certification & Warranty

Warranty

5 years

switch to
one light!

