



02 Recessed Spots Fixed LED>The IP65 Mini Range

10103M/B/V



3W CCT Variable COB recessed spot.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Mini Range
Order Code	10103M/B/V
Colour	Black
Material	Aluminium
Shape	Circular

Height	42mm
Diameter	46mm
Cutout Hole Diameter	38mm
Recessed Ceiling	Yes
Depth Required	55mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	6V
Safety Class	
Power(Watts)	3W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Number	1
Cable Length	60cm
F Mark	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	270lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	30°



Packing Info

Box Weight	0.096kg
Pcs/Carton	50
Barcode	5291889093121
HS Code	9405413990

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!





02 Recessed Spots Fixed LED>The IP65 Mini Range

10103M/W/V



3W CCT Variable COB recessed spot.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Mini Range
Order Code	10103M/W/V
Colour	White
Material	Aluminium
Shape	Circular

Height	42mm
Diameter	46mm
Cutout Hole Diameter	38mm
Recessed Ceiling	Yes
Depth Required	55mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	6V
Safety Class	
Power(Watts)	3W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Number	1
Cable Length	60cm
F Mark	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	270lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	30°



Packing Info

Box Weight	0.096kg
Pcs/Carton	50
Barcode	5291889093138
HS Code	9405413990

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

