

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



General Information

Installation Area Internal

Niva CCT

NIVC4FS NIVC4FS

Niva CCT 4ft single 12/14/16/18W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in manual, self-test and DALI
- Optional plug-in microwave ON/OFF sensor and PIR ON/OFF sensor compatible with Uni-Remote
- For single tube batten replacement
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



| Technical Summary |         |
|-------------------|---------|
| Product Code      | NIVC4FS |

Tel: 01635 523 713  
Email: sales@kosnic.com  
Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK



**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

## Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



## General Information

Installation Area Internal

# Niva CCT

NIVC4FBNIVC4FS



## Optional Gear

| Product Code | Description                                                     | Type             |
|--------------|-----------------------------------------------------------------|------------------|
| BEM303       | BEM Emergency Module 3W for Kosnic Battens                      | Emergency Module |
| BEM303/SST   | BEM Duo 3W Manual/Self test emergency module for Kosnic battens | Emergency Module |
| BEM303/DA    | BEM 3W DALI switchable for Kosnic Battens                       | Emergency Module |
| HON-M        | Hontza Plug in microwave motion & daylight sensor               | Microwave Sensor |
| TOC-P        | Toco P30 Exterior PIR Sensor Side-Mount with RMT-UNI control    | PIR Sensor       |

## Accessories

| Product Code | Description                                                                                  | Type           |
|--------------|----------------------------------------------------------------------------------------------|----------------|
| SUS-BTN04    | Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop | Suspension Kit |
| SUS-BTN04/25 | Batten Suspension Kits 2.5m length, 4 wires included                                         | Suspension Kit |
| RMT-UNI      | Universal Remote Control for Kosnic motion sensors                                           | Remote Control |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

## Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



## General Information

Installation Area Internal

# Niva CCT

NIVC4FT NIVC4FT

## Niva CCT 4ft twin 17/20/24/27W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in manual, self-test and DALI
- Optional plug-in microwave ON/OFF sensor and PIR ON/OFF sensor compatible with Uni-Remote
- For twin tube batten replacement
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



| Technical Summary |         |
|-------------------|---------|
| Product Code      | NIVC4FT |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

## Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



## General Information

Installation Area Internal

# Niva CCT

NIVC4F NIVC4FT



## Optional Gear

| Product Code | Description                                                     | Type             |
|--------------|-----------------------------------------------------------------|------------------|
| BEM303       | BEM Emergency Module 3W for Kosnic Battens                      | Emergency Module |
| BEM303/SST   | BEM Duo 3W Manual/Self test emergency module for Kosnic battens | Emergency Module |
| BEM303/DA    | BEM 3W DALI switchable for Kosnic Battens                       | Emergency Module |
| HON-M        | Hontza Plug in microwave motion & daylight sensor               | Microwave Sensor |
| TOC-P        | Toco P30 Exterior PIR Sensor Side-Mount with RMT-UNI control    | PIR Sensor       |

## Accessories

| Product Code | Description                                                                                  | Type           |
|--------------|----------------------------------------------------------------------------------------------|----------------|
| SUS-BTN04    | Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop | Suspension Kit |
| SUS-BTN04/25 | Batten Suspension Kits 2.5m length, 4 wires included                                         | Suspension Kit |
| RMT-UNI      | Universal Remote Control for Kosnic motion sensors                                           | Remote Control |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



General Information

Installation Area Internal

Niva CCT

NIVC5FS NIVC5FS

Niva CCT 5ft single 17/20/24/27W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in manual, self-test and DALI
- Optional plug-in microwave ON/OFF sensor and PIR ON/OFF sensor compatible with Uni-Remote
- For single tube batten replacement
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



| Technical Summary |         |
|-------------------|---------|
| Product Code      | NIVC5FS |

Tel: 01635 523 713  
Email: sales@kosnic.com  
Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK



**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

## Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



## General Information

Installation Area Internal

# Niva CCT



NIVC5F NIVC5FS

## Optional Gear

| Product Code | Description                                                     | Type             |
|--------------|-----------------------------------------------------------------|------------------|
| BEM303       | BEM Emergency Module 3W for Kosnic Battens                      | Emergency Module |
| BEM303/SST   | BEM Duo 3W Manual/Self test emergency module for Kosnic battens | Emergency Module |
| BEM303/DA    | BEM 3W DALI switchable for Kosnic Battens                       | Emergency Module |
| HON-M        | Hontza Plug in microwave motion & daylight sensor               | Microwave Sensor |
| TOC-P        | Toco P30 Exterior PIR Sensor Side-Mount with RMT-UNI control    | PIR Sensor       |

## Accessories

| Product Code | Description                                                                                  | Type           |
|--------------|----------------------------------------------------------------------------------------------|----------------|
| SUS-BTN04    | Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop | Suspension Kit |
| SUS-BTN04/25 | Batten Suspension Kits 2.5m length, 4 wires included                                         | Suspension Kit |
| RMT-UNI      | Universal Remote Control for Kosnic motion sensors                                           | Remote Control |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



General Information

Installation Area Internal

Niva CCT

NIVC5FT NIVC5FT

Niva CCT 5ft twin 25/30/35/44W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in manual, self-test and DALI
- Optional plug-in microwave ON/OFF sensor and PIR ON/OFF sensor compatible with Uni-Remote
- For twin tube batten replacement
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



| Technical Summary |         |
|-------------------|---------|
| Product Code      | NIVC5FT |

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

## Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



## General Information

Installation Area Internal

# Niva CCT

NIVC5FTNIVC5FT



## Optional Gear

| Product Code | Description                                                     | Type             |
|--------------|-----------------------------------------------------------------|------------------|
| BEM303       | BEM Emergency Module 3W for Kosnic Battens                      | Emergency Module |
| BEM303/SST   | BEM Duo 3W Manual/Self test emergency module for Kosnic battens | Emergency Module |
| BEM303/DA    | BEM 3W DALI switchable for Kosnic Battens                       | Emergency Module |
| HON-M        | Hontza Plug in microwave motion & daylight sensor               | Microwave Sensor |
| TOC-P        | Toco P30 Exterior PIR Sensor Side-Mount with RMT-UNI control    | PIR Sensor       |

## Accessories

| Product Code | Description                                                                                  | Type           |
|--------------|----------------------------------------------------------------------------------------------|----------------|
| SUS-BTN04    | Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop | Suspension Kit |
| SUS-BTN04/25 | Batten Suspension Kits 2.5m length, 4 wires included                                         | Suspension Kit |
| RMT-UNI      | Universal Remote Control for Kosnic motion sensors                                           | Remote Control |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



General Information

Installation Area Internal

Niva CCT

NIVC6FS NIVC6FS

Niva CCT 6ft single 20/25/30/36W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in manual, self-test and DALI
- Optional plug-in microwave ON/OFF sensor and PIR ON/OFF sensor compatible with Uni-Remote
- For single tube batten replacement
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



| Technical Summary |         |
|-------------------|---------|
| Product Code      | NIVC6FS |

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

## Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



## General Information

Installation Area Internal

# Niva CCT

NIVC6F NIVC6FS



## Optional Gear

| Product Code | Description                                                     | Type             |
|--------------|-----------------------------------------------------------------|------------------|
| BEM303       | BEM Emergency Module 3W for Kosnic Battens                      | Emergency Module |
| BEM303/SST   | BEM Duo 3W Manual/Self test emergency module for Kosnic battens | Emergency Module |
| BEM303/DA    | BEM 3W DALI switchable for Kosnic Battens                       | Emergency Module |
| HON-M        | Hontza Plug in microwave motion & daylight sensor               | Microwave Sensor |
| TOC-P        | Toco P30 Exterior PIR Sensor Side-Mount with RMT-UNI control    | PIR Sensor       |

## Accessories

| Product Code | Description                                                                                  | Type           |
|--------------|----------------------------------------------------------------------------------------------|----------------|
| SUS-BTN04    | Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop | Suspension Kit |
| SUS-BTN04/25 | Batten Suspension Kits 2.5m length, 4 wires included                                         | Suspension Kit |
| RMT-UNI      | Universal Remote Control for Kosnic motion sensors                                           | Remote Control |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

## Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



## General Information

Installation Area Internal

# Niva CCT

NIVC6FT NIVC6FT

## Niva CCT 6ft twin 35/45/53/63W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in manual, self-test and DALI
- Optional plug-in microwave ON/OFF sensor and PIR ON/OFF sensor compatible with Uni-Remote
- For twin tube batten replacement
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



### Technical Summary

Product Code

NIVC6FT

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK



**7** 7 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

## Overview

Niva CCT LED batten utilises high performance LEDs to offer outstanding lumen efficiency. With switchable CCT and are suitable for a wide range of applications including warehouses, factories and garages. The product range also has the option to install an emergency module and microwave sensor.



## General Information

Installation Area Internal

# Niva CCT

NIVC6FTNIVC6FT



## Optional Gear

| Product Code | Description                                                     | Type             |
|--------------|-----------------------------------------------------------------|------------------|
| BEM303       | BEM Emergency Module 3W for Kosnic Battens                      | Emergency Module |
| BEM303/SST   | BEM Duo 3W Manual/Self test emergency module for Kosnic battens | Emergency Module |
| BEM303/DA    | BEM 3W DALI switchable for Kosnic Battens                       | Emergency Module |
| HON-M        | Hontza Plug in microwave motion & daylight sensor               | Microwave Sensor |
| TOC-P        | Toco P30 Exterior PIR Sensor Side-Mount with RMT-UNI control    | PIR Sensor       |

## Accessories

| Product Code | Description                                                                                  | Type           |
|--------------|----------------------------------------------------------------------------------------------|----------------|
| SUS-BTN04    | Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop | Suspension Kit |
| SUS-BTN04/25 | Batten Suspension Kits 2.5m length, 4 wires included                                         | Suspension Kit |
| RMT-UNI      | Universal Remote Control for Kosnic motion sensors                                           | Remote Control |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK