


Niva Sensor

NIV-MWS NIV-MWS

Niva plug-in ON/OFF microwave sensor

- Plug-in ON/OFF microwave sensor
- Compatible with our popular Niva range
- Quick and easy to install



Technical Summary	
Product Code	NIV-MWS
BESA Entry	True
Conduit Entry 20mm	TRUE



Overview

The Kosnic Niva plug-in ON/OFF Microwave Sensor is a simple energy-saving solution that uses light only when and where you need it.

General Information

Materials	Housing polycarbonate
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

Niva Sensor

NIV- NIV-MWS

Optional Gear

Product Code	Description	Type
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM203	3W standard UEM for linear LED luminaire	Emergency Module

Overview

The Kosnic Niva plug-in ON/OFF Microwave Sensor is a simple energy-saving solution that uses light only when and where you need it.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Niva Go

NIVG4FS18-W40 NIVG4FS18-W40

NIVA GO 4ft Single 18W 4000K

- High efficiency up to 150lm/W
- For single and twin tube batten replacement
- Optional plug-in emergency module available
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Technical Summary

Product Code	NIVG4FS18-W40
BESA Entry	True
Conduit Entry 20mm	TRUE

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



NIVG4FS18-W40

Optional Gear

Product Code	Description	Type
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Niva Go

NIVG4FT27-W40 NIVG4FT27-W40

NIVA GO 4ft Twin 27W 4000K

- High efficiency up to 150lm/W
- For single and twin tube batten replacement
- Optional plug-in emergency module available
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Technical Summary

Product Code	NIVG4FT27-W40
BESA Entry	True
Conduit Entry 20mm	TRUE

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



NIVG4FT27-W40

Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Optional Gear

Product Code	Description	Type
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

Niva Go

NIVG5FS27-W40 NIVG5FS27-W40

NIVA GO 5ft Single 27W 4000K

- High efficiency up to 150lm/W
- For single and twin tube batten replacement
- Optional plug-in emergency module available
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Technical Summary

Product Code	NIVG5FS27-W40
BESA Entry	True
Conduit Entry 20mm	TRUE

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



NIVG5FS27-W40

Optional Gear

Product Code	Description	Type
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Niva Go

NIVG5FT44-W40 NIVG5FT44-W40

NIVA GO 5ft Twin 44W 4000K

- High efficiency up to 150lm/W
- For single and twin tube batten replacement
- Optional plug-in emergency module available
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Technical Summary

Product Code	NIVG5FT44-W40
BESA Entry	True
Conduit Entry 20mm	TRUE

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



NIVG5FT44-W40

Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Optional Gear

Product Code	Description	Type
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Niva Go

NIVG6FS36-W40 NIVG6FS36-W40

NIVA GO 6ft Single 36W 4000K

- High efficiency up to 150lm/W
- For single and twin tube batten replacement
- Optional plug-in emergency module available
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Technical Summary

Product Code	NIVG6FS36-W40
BESA Entry	True
Conduit Entry 20mm	TRUE

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



NIVG6FS36-W40

Optional Gear

Product Code	Description	Type
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Niva Go

NIVG6FT63-W40 NIVG6FT63-W40

NIVA GO 6ft Twin 63W 4000K

- High efficiency up to 150lm/W
- For single and twin tube batten replacement
- Optional plug-in emergency module available
- 20mm Conduit entry
- BESA box fitting points
- Easy installation with press and release end caps to open the cover



Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Technical Summary

Product Code	NIVG6FT63-W40
BESA Entry	True
Conduit Entry 20mm	TRUE

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



NIVG6FT63-W40

Optional Gear

Product Code	Description	Type
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Overview

The Niva Go provides a simplified option in the Niva range. With all the easy integration features of the Niva range the option for a plug-in emergency and sensor module are still available, the only difference is the Niva Go comes in fixed wattages and only a 4000K CCT.



General Information

Materials	Housing polycarbonate
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com

