

7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only

Overview

The Nok side-mounted emergency light is the perfect addition to any lighting design, simply install it to the 20mm Conduit entry point on the end of your batten. Plus, with the option to choose between standard, self-test and DALI - this add-on emergency light will have you covered.



General Information


Installation Area Internal

Nok DALI

NOK02/DA NOK02/DA

Nok DALI non-maintained side-mount Emergency DALI-2&Self-test

- Adjustable Beam Angle, 115° and 70°x140°
- Easy to install via 20mm conduit / gland entry with supplied extension tube
- Non-maintained, 3hrs
- Easy to install on Kosnic LED battens and non-corrosive
- Push-wire loop-in and loop-out terminal block included
- Built-in green status indicator
- DALI-2 conforming to EN 62386-202



Technical Summary

Product Code

NOK02/DA

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 **Years**
Product Warranty
UK Only

2 **Years**
On-Site Warranty
Main-land UK Only

Overview

The Nok side-mounted emergency light is the perfect addition to any lighting design, simply install it to the 20mm Conduit entry point on the end of your batten. Plus, with the option to choose between standard, self-test and DALI - this add-on emergency light will have you covered.



General Information

Installation Area Internal

Nok DALI

NOK02/DA



Accessories

Product Code	Description
BATS18LFP1	Battery for DD EME 2, Doxa 2 & EME light 2 in 1,Temp sensor

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

The Nok side-mounted emergency light is the perfect addition to any lighting design, simply install it to the 20mm Conduit entry point on the end of your batten. Plus, with the option to choose between standard, self-test and DALI - this add-on emergency light will have you covered.



General Information



Installation Area Internal

Nok 2 in 1

NOK02/SST NOK02/SST

Nok Duo non-maintained side-mount Emergency Manual&Self-

- Select manual or self-test mode via the internal dual-mode DIP switch
- Automatic Self-test conforming to BS-EN-62034
- To adjust green LED indicator brightness, press and hold the test button for more than 2 seconds
- Adjustable beam angle, 115° and 70x140°
- Non-maintained, 3hrs
- Easy to install via 20mm conduit / gland entry with supplied extension tube
- Easy to install on Kosnic LED battens and non-corrosive
- Push-wire loop-in and loop-out terminal block included
- Built-in green status indicator



Technical Summary	
Product Code	NOK02/SST
Beam Angle - Lumi (°)	Adjustable 60° and 70x140°

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 **Years**
Product Warranty
UK Only

2 **Years**
On-Site Warranty
Main-land UK Only

Overview

The Nok side-mounted emergency light is the perfect addition to any lighting design, simply install it to the 20mm Conduit entry point on the end of your batten. Plus, with the option to choose between standard, self-test and DALI - this add-on emergency light will have you covered.



General Information

Installation
Area

Internal

Nok 2 in 1

NOK02/SSK02/SST



Accessories

Product Code	Description
BATS18LFP1	Battery for DD EME 2, Doxa 2 & EME light 2 in 1,Temp sensor

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com

