

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD03-BLK ORD03-BLK

Orda 2 Emergency twin-spot 3W Manual test Black

- Trunk mount option and accessories included
- Non-maintained(3W)
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD03-BLK
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD03-ORD03-BLK

Accessories

Product Code	Description	Type
BAT18LFP2/L	Battery for Emergency sign DALI of MULU NITRO DOXA ORDA 3W	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2 DALI



ORD03-BLK/DA ORD03-BLK/DA

Orda 2 DALI Emergency twin-spot 3W DALI-2&Self-test Black

- Trunk mount option and accessories included
- Non-maintained
- Fully adjustable twin heads allow best light coverage
- IP65, IK10
- Options of white and black finish
- DALI-2 conforming to EN 62386-202



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

Materials	Diffuser - Polycarbonate
Installation Area	Internal and External

Technical Summary

Product Code

ORD03-BLK/DA

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2 DALI



ORD03-ORD03-BLK/DA

Accessories

Product Code	Description	Type
BAT18LFP2/L	Battery for Emergency sign DALI of MULU NITRO DOXA ORDA 3W	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

Materials	Diffuser - Polycarbonate
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only

Orda II



ORD03-BLK/SST ORD03-BLK/SST

Orda 2 Duo Emergency twin-spot 3W Manual & Self-test Black

- Select manual or self-test mode via the internal dual-mode DIP switch
- Automatic Self-test conforming to BS-EN-62034
- To adjust green LED indicator brightness, press and hold the test button for more than 2 seconds
- Trunk-mount option and accessories included
- Fully adjustable twin heads allow best light coverage
- Non-maintained(3W)
- IP65, IK10
- Options of white and black finish



Overview

The Orda II LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD03-BLK/SST
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda II



ORD03ORD03-BLK/SST

Accessories

Product Code	Description	Type
BATS20LFP2/L	Battery LiFePO4 2000mAh 6.4V	Battery

Overview

The Orda II LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD03-BLK/ST ORD03-BLK/ST

Orda 2 Emergency twin-spot 3W Self-test Black

- Trunk mount option and accessories included
- Non-maintained(3W)
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD03-BLK/ST
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD03-ORD03-BLK/ST

Accessories

Product Code	Description	Type
BAT18LFP2/L	Battery for Emergency sign DALI of MULU NITRO DOXA ORDA 3W	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD03-WHT ORD03-WHT

Orda 2 Emergency twin-spot 3W Manual test White

- Trunk mount option and accessories included
- Non-maintained(3W)
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD03-WHT
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD03-ORD03-WHT

Accessories

Product Code	Description	Type
BAT18LFP2/L	Battery for Emergency sign DALI of MULU NITRO DOXA ORDA 3W	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2 DALI



ORD03-WHT/DA ORD03-WHT/DA

Orda 2 DALI Emergency twin-spot 3W DALI-2&Self-test White

- Trunk mount option and accessories included
- Non-maintained
- Fully adjustable twin heads allow best light coverage
- IP65, IK10
- Options of white and black finish
- DALI-2 conforming to EN 62386-202



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

Materials	Diffuser - Polycarbonate
Installation Area	Internal and External

Technical Summary

Product Code

ORD03-WHT/DA

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2 DALI



ORD03ORD03-WHT/DA

Accessories

Product Code	Description	Type
BAT18LFP2/L	Battery for Emergency sign DALI of MULU NITRO DOXA ORDA 3W	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

Materials	Diffuser - Polycarbonate
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda II



ORD03-WHT/SST ORD03-WHT/SST

Orda 2 Duo Emergency twin-spot 3W Manual & Self-test White

- Select manual or self-test mode via the internal dual-mode DIP switch
- Automatic Self-test conforming to BS-EN-62034
- To adjust green LED indicator brightness, press and hold the test button for more than 2 seconds
- Trunk-mount option and accessories included
- Fully adjustable twin heads allow best light coverage
- Non-maintained (3W)
- IP65, IK10
- Options of white and black finish



Overview

The Orda II LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.

General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD03-WHT/SST
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda II



ORD03ORD03-WHT/SST

Accessories

Product Code	Description	Type
BATS20LFP2/L	Battery LiFePO4 2000mAh 6.4V	Battery

Overview

The Orda II LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only



Orda 2

ORD03-WHT/ST ORD03-WHT/ST

Orda 2 Emergency twin-spot 3W Self-test White

- Trunk mount option and accessories included
- Non-maintained(3W)
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD03-WHT/ST
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD03-ORD03-WHT/ST

Accessories

Product Code	Description	Type
BAT18LFP2/L	Battery for Emergency sign DALI of MULU NITRO DOXA ORDA 3W	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD06-BLK ORD06-BLK

Orda 2 Emergency twin-spot 6W Manual test Black

- Trunk mount option and accessories included
- Maintained and non-maintained options(6W)
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD06-BLK
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD06-ORD06-BLK

Accessories

Product Code	Description	Type
BAT20LFP4	Battery for Push-in batten EME, Orda 2 6W	Battery
BAT20LFP2-ORD	Battery for Orda	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only

Orda II



ORD06-BLK/SST ORD06-BLK/SST

Orda 2 Duo Emergency twin-spot 6W Manual & Self-test Black

- Select manual or self-test mode via the internal dual-mode DIP switch
- Automatic Self-test conforming to BS-EN-62034
- To adjust green LED indicator brightness, press and hold the test button for more than 2 seconds
- Trunk-mount option and accessories included
- Fully adjustable twin heads allow best light coverage
- Maintained and non-maintained options(6W)
- IP65, IK10
- IP65, IK10



Overview

The Orda II LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.

General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD06-BLK/SST
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda II



ORD06ORD06-BLK/SST

Accessories

Product Code	Description	Type
BAT20LFP4	Battery for Push-in batten EME, Orda 2 6W	Battery

Overview

The Orda II LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD06-BLK/ST ORD06-BLK/ST

Orda 2 Emergency twin-spot 6W Self-test Black

- Trunk mount option and accessories included
- Maintained and non-maintained options(6W)
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD06-BLK/ST
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD06-ORD06-BLK/ST

Accessories

Product Code	Description	Type
BAT20LFP4	Battery for Push-in batten EME, Orda 2 6W	Battery
BAT20LFP2-ORD	Battery for Orda	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD06-WHT ORD06-WHT

Orda 2 Emergency twin-spot 6W Manual test White

- Trunk mount option and accessories included
- Maintained and non-maintained options(6W)
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD06-WHT
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD06-ORD06-WHT

Accessories

Product Code	Description	Type
BAT20LFP4	Battery for Push-in batten EME, Orda 2 6W	Battery
BAT20LFP2-ORD	Battery for Orda	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda II



ORD06-WHT/SST ORD06-WHT/SST

Orda 2 Duo Emergency twin-spot 6W Manual & Self-test White

- Select manual or self-test mode via the internal dual-mode DIP switch
- Automatic Self-test conforming to BS-EN-62034
- To adjust green LED indicator brightness, press and hold the test button for more than 2 seconds
- Trunk-mount option and accessories included
- Fully adjustable twin heads allow best light coverage
- Maintained and non-maintained options(6W)
- IP65, IK10
- Options of white and black finish



Overview

The Orda II LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.

General Information

IK Rating	IK10
Installation	Internal and External Area

Technical Summary

Product Code	ORD06-WHT/SST
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda II



ORD006ORD06-WHT/SST

Accessories

Product Code	Description	Type
BAT20LFP4	Battery for Push-in batten EME, Orda 2 6W	Battery

Overview

The Orda II LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only



Orda 2

ORD06-WHT/ST ORD06-WHT/ST

Orda 2 Emergency twin-spot 6W Self-test White

- Trunk mount option and accessories included
- Maintained and non-maintained options(6W)
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish



Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Technical Summary

Product Code	ORD06-WHT/ST
Emergency Modes	Maintained or Non-maintained

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Orda 2



ORD06-ORD06-WHT/ST

Accessories

Product Code	Description	Type
BAT20LFP4	Battery for Push-in batten EME, Orda 2 6W	Battery
BAT20LFP2-ORD	Battery for Orda	Battery

Overview

The Orda LED Emergency Twin-Spot is a self-contained, high-power, robust, non-maintained emergency lighting solution available as standard or self-test versions. With two adjustable directional spotlights providing emergency illumination along exit routes for three hours during a power cut. Suitable for factories and industrial sites.



General Information

IK Rating	IK10
Installation Area	Internal and External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com

