

# Vega Cable 1.0M

VEG-CAB-1M VEG-CAB-1M

1.0M H05W-F 2x1.0mm<sup>2</sup> cable for Vega

- Cable for Vega floodlight
- 2.0m H05W-F 2x1.0mm<sup>2</sup> cable

## Overview

Cable for the Kosnic Vega LED Floodlight. The Vega uses an internal battery, recharged by the solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it stays on at a dimmed level and raises the light level when motion is detected. Outdoor rated, simple to install with no external



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |



## Technical Summary

Product Code

VEG-CAB-1M

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK

# Vega Cable 1.0M

VEG- VEG-CAB-1M

## Accessories

| Product Code | Description                         | Type  |
|--------------|-------------------------------------|-------|
| VEG-CAB-3M   | 3.0M H05W-F 2x1.0mm2 cable for Vega | Cable |
| VEG-CAB-2M   | 2.0M H05W-F 2x1.0mm2 cable for Vega | Cable |

## Overview

Cable for the Kosnic Vega LED Floodlight. The Vega uses an internal battery, recharged by the solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it stays on at a dimmed level and raises the light level when motion is detected. Outdoor rated, simple to install with no external



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Vega Cable 2.0M

VEG-CAB-2M VEG-CAB-2M

2.0M H05W-F 2x1.0mm<sup>2</sup> cable for Vega

- Cable for Vega floodlight
- 3.0m H05W-F 2x1.0mm<sup>2</sup> cable



## Overview

Cable for the Kosnic Vega LED Floodlight. The Vega uses an internal battery, recharged by the solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it stays on at a dimmed level and raises the light level when motion is detected. Outdoor rated, simple to install with no external



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

## Technical Summary

Product Code

VEG-CAB-2M

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK

# Vega Cable 2.0M

VEG- VEG-CAB-2M

## Accessories

| Product Code | Description                         | Type  |
|--------------|-------------------------------------|-------|
| VEG-CAB-3M   | 3.0M H05W-F 2x1.0mm2 cable for Vega | Cable |
| VEG-CAB-1M   | 1.0M H05W-F 2x1.0mm2 cable for Vega | Cable |

## Overview

Cable for the Kosnic Vega LED Floodlight. The Vega uses an internal battery, recharged by the solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it stays on at a dimmed level and raises the light level when motion is detected. Outdoor rated, simple to install with no external



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Vega Cable 3.0M

VEG-CAB-3M VEG-CAB-3M

3.0M H05W-F 2x1.0mm<sup>2</sup> cable for Vega

- Cable for Vega floodlight
- 1.0m H05W-F 2x1.0mm<sup>2</sup> cable



## Overview

Cable for the Kosnic Vega LED Floodlight. The Vega uses an internal battery, recharged by the solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it stays on at a dimmed level and raises the light level when motion is detected. Outdoor rated, simple to install with no external



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

## Technical Summary

Product Code

VEG-CAB-3M

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK

# Vega Cable 3.0M

VEG- VEG-CAB-3M

## Accessories

| Product Code | Description                         | Type  |
|--------------|-------------------------------------|-------|
| VEG-CAB-2M   | 2.0M H05W-F 2x1.0mm2 cable for Vega | Cable |
| VEG-CAB-1M   | 1.0M H05W-F 2x1.0mm2 cable for Vega | Cable |

## Overview

Cable for the Kosnic Vega LED Floodlight. The Vega uses an internal battery, recharged by the solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it stays on at a dimmed level and raises the light level when motion is detected. Outdoor rated, simple to install with no external



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



VEG1100-GRY VEG1100-GRY

## Vega, solar powered flood light 1100lm 110° Grey 6000K

- Provided with high output monocrystalline silicon solar panel
- Dusk to dawn & microwave sensor
- High efficiency upto 170lm/W
- Easy installation with no mains wiring required
- Solar panel and flood light can be installed up to 3m apart with option of extension cable



### Overview

The Vega LED Floodlight uses an internal battery, recharged by the Monocrystalline silicon solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it will stay on at a dimmed level and raises to light level when motion is detected. Outdoor rated, simple to install with no external wiring.



### General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

### Technical Summary

Product Code

VEG1100-GRY

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK

KosnicLightingUK

VEG1100-GRY

## Optional Gear

| Product Code | Description                           | Type    |
|--------------|---------------------------------------|---------|
| VEGBAT-1100  | Vega battery LiFePO4 3.2V<br>20000mAh | Battery |

## Accessories

| Product Code | Description                                        | Type  |
|--------------|----------------------------------------------------|-------|
| VEG-CAB-3M   | 3.0M H05W-F 2x1.0mm <sup>2</sup> cable for<br>Vega | Cable |
| VEG-CAB-2M   | 2.0M H05W-F 2x1.0mm <sup>2</sup> cable for<br>Vega | Cable |
| VEG-CAB-1M   | 1.0M H05W-F 2x1.0mm <sup>2</sup> cable for<br>Vega | Cable |

## Overview

The Vega LED Floodlight uses an internal battery, recharged by the Monocrystalline silicon solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it will stay on at a dimmed level and raises to light level when motion is detected. Outdoor rated, simple to install with no external wiring.



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



VEG1800-GRY VEG1800-GRY

## Vega, solar powered flood light 1800lm 110° Grey 6000K

- Provided with high output monocrystalline silicon solar panel
- Dusk to dawn & microwave sensor
- High efficiency upto 170lm/W
- Easy installation with no mains wiring required
- Solar panel and flood light can be installed up to 3m apart with option of extension cable



### Overview

The Vega LED Floodlight uses an internal battery, recharged by the Monocrystalline silicon solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it will stay on at a dimmed level and raises to light level when motion is detected. Outdoor rated, simple to install with no external wiring.

### General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

### Technical Summary

Product Code

VEG1800-GRY

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



VEG1800-GRY

## Optional Gear

| Product Code | Description                           | Type    |
|--------------|---------------------------------------|---------|
| VEGBAT-1800  | Vega battery LiFePO4 3.2V<br>30000mAh | Battery |

## Accessories

| Product Code | Description                            | Type  |
|--------------|----------------------------------------|-------|
| VEG-CAB-3M   | 3.0M H05W-F 2x1.0mm2 cable for<br>Vega | Cable |
| VEG-CAB-2M   | 2.0M H05W-F 2x1.0mm2 cable for<br>Vega | Cable |
| VEG-CAB-1M   | 1.0M H05W-F 2x1.0mm2 cable for<br>Vega | Cable |

## Overview

The Vega LED Floodlight uses an internal battery, recharged by the Monocrystalline silicon solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it will stay on at a dimmed level and raises to light level when motion is detected. Outdoor rated, simple to install with no external wiring.



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



VEG300-GRY VEG300-GRY

## Vega, solar powered flood light 300lm 110° Grey 6000K

- Provided with high output monocrystalline silicon solar panel
- Dusk to dawn & microwave sensor
- High efficiency upto 170lm/W
- Easy installation with no mains wiring required
- Solar panel and flood light can be installed up to 3m apart with option of extension cable



### Overview

The Vega LED Floodlight uses an internal battery, recharged by the Monocrystalline silicon solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it will stay on at a dimmed level and raises to light level when motion is detected. Outdoor rated, simple to install with no external wiring.



### General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

### Technical Summary

Product Code

VEG300-GRY

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK

KosnicLightingUK

VEG300VEG300-GRY

## Optional Gear

| Product Code | Description                      | Type    |
|--------------|----------------------------------|---------|
| VEGBAT-300   | Vega battery Li-ion 3.7V 5000mAh | Battery |

## Accessories

| Product Code | Description                         | Type  |
|--------------|-------------------------------------|-------|
| VEG-CAB-3M   | 3.0M H05W-F 2x1.0mm2 cable for Vega | Cable |
| VEG-CAB-2M   | 2.0M H05W-F 2x1.0mm2 cable for Vega | Cable |
| VEG-CAB-1M   | 1.0M H05W-F 2x1.0mm2 cable for Vega | Cable |

## Overview

The Vega LED Floodlight uses an internal battery, recharged by the Monocrystalline silicon solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it will stay on at a dimmed level and raises to light level when motion is detected. Outdoor rated, simple to install with no external wiring.



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



VEG700-GRY VEG700-GRY

## Vega, solar powered flood light 700lm 110° Grey 6000K

- Provided with high output monocrystalline silicon solar panel
- Dusk to dawn & microwave sensor
- High efficiency upto 170lm/W
- Easy installation with no mains wiring required
- Solar panel and flood light can be installed up to 3m apart with option of extension cable



### Overview

The Vega LED Floodlight uses an internal battery, recharged by the Monocrystalline silicon solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it will stay on at a dimmed level and raises to light level when motion is detected. Outdoor rated, simple to install with no external wiring.

### General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

### Technical Summary

Product Code

VEG700-GRY

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK

VEG700VEG700-GRY

## Optional Gear

| Product Code | Description                           | Type    |
|--------------|---------------------------------------|---------|
| VEGBAT-700   | Vega battery LiFePO4 3.2V<br>10000mAh | Battery |

## Accessories

| Product Code | Description                            | Type  |
|--------------|----------------------------------------|-------|
| VEG-CAB-3M   | 3.0M H05W-F 2x1.0mm2 cable for<br>Vega | Cable |
| VEG-CAB-2M   | 2.0M H05W-F 2x1.0mm2 cable for<br>Vega | Cable |
| VEG-CAB-1M   | 1.0M H05W-F 2x1.0mm2 cable for<br>Vega | Cable |

## Overview

The Vega LED Floodlight uses an internal battery, recharged by the Monocrystalline silicon solar panel. With a built-in microwave sensor via a remote for setting. When detection mode is selected it will stay on at a dimmed level and raises to light level when motion is detected. Outdoor rated, simple to install with no external wiring.



## General Information

|                   |                                            |
|-------------------|--------------------------------------------|
| Materials         | Housing aluminium alloy, Solar polysilicon |
| Installation Area | External                                   |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Battery

VEGBAT-1100 VEGBAT-1100

Vega battery LiFePO4 3.2V 20000mAh

- LiFePO4 battery



| Technical Summary |             |
|-------------------|-------------|
| Product Code      | VEGBAT-1100 |



## General Information

Installation  
Area

Internal

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Battery

VEGBATVEGBAT-1100

## Overview

LiFeP04 battery with 20000mAh capacity.



## General Information

| Installation Area | Internal |
|-------------------|----------|
|-------------------|----------|

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Battery

VEGBAT-1800 VEGBAT-1800

Vega battery LiFePO4 3.2V 30000mAh

- LiFePO4 battery

## Overview

Replacement or spare battery for your Vega floodlight.



## General Information

Installation Internal  
Area

### Technical Summary

Product Code

VEGBAT-1800

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Battery

VEGBATVEGBAT-1800

## Overview

Replacement or spare battery for your Vega floodlight.



## General Information

| Installation Area | Internal |
|-------------------|----------|
|-------------------|----------|

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Battery

VEGBAT-300 VEGBAT-300

Vega battery Li-ion 3.7V 5000mAh

- Li-ion battery

## Overview

Replacement or spare battery for your Vega floodlight.



## Technical Summary

Product Code

VEGBAT-300



## General Information

Installation Area Internal

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Battery

VEGBATVEGBAT-300

## Overview

Replacement or spare battery for  
your Vega floodlight.



## General Information

| Installation | Internal |
|--------------|----------|
| Area         |          |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Battery

VEGBAT-700 VEGBAT-700

Vega battery LiFePO4 3.2V 10000mAh

- LiFePO4 battery

## Overview

Replacement or spare battery for your Vega floodlight.



## General Information

Installation Internal  
Area

### Technical Summary

Product Code

VEGBAT-700

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



# Battery

VEGBATVEGBAT-700

## Overview

Replacement or spare battery for  
your Vega floodlight.



## General Information

| Installation | Internal |
|--------------|----------|
| Area         |          |

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)

