

Vermillion Gear Box

VER-BOX VER-BOX

Vermillion water proof independent gear box

- Housing for LED drivers



Technical Summary	
Product Code	VER-BOX



General Information

Materials	Housing powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Vermillion Gear Box

VER- VER-BOX

Overview

Vermillion outdoor housing for LED drivers



General Information

Materials	Housing powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Vermillion Collimator

VER-COL VER-COL

Collimator for lighting debuggins

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



Technical Summary	
Product Code	VER-COL

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Vermillion Collimator

VER- VER-COL

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W.

DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.

Tel: 01635 523 713

Email: sales@kosnic.com


Kosnic.com



VER1200-B150 VER1200-B150

Vermillion floodlight 1200W 10° 5000K Grey

- Modular construction allows each module to be angled independently
- DALI2 and DMX compatible driver included
- High efficiency of 150lm/W
- IP66, IK09
- Multiple options for optics including asymmetric options
- Programmable driver that can be set to required wattage
- Flicker free



Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DALI2 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Technical Summary

Product Code

VER1200-B150

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

VER1200VER1200-B150

Accessories

Product Code	Description	Type
VER-BOX	Vermillion water proof independent gear box	Housing
VER-COL	Collimator for lighting debuggins	Collimator
VER1200-SHD	Vermillion Lens Shade for VER1200	Shade

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com


Kosnic.com



VER1200-B250 VER1200-B250

Vermillion floodlight 1200W 20° 5000K Grey

- Modular construction allows each module to be angled independently
- DALI2 and DMX compatible driver included
- High efficiency of 150lm/W
- IP66, IK09
- Multiple options for optics including asymmetric options
- Programmable driver that can be set to required wattage
- Flicker free



Overview

Modular construction allows each module to be angled independently

with High efficiency of 160lm/W.

DALI2 and DMX compatible driver

included. IP66 and IK09, Multiple

options for optics including

asymmetric options. Programmable

driver that can be set to required

wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Technical Summary

Product Code

VER1200-B250

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

VER1200 VER1200-B250

Accessories

Product Code	Description	Type
VER-BOX	Vermillion water proof independent gear box	Housing
VER-COL	Collimator for lighting debuggins	Collimator
VER1200-SHD	Vermillion Lens Shade for VER1200	Shade

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com


Kosnic.com



VER1200-S50 VER1200-S50

Vermillion floodlight 1200W 40° 5000K Grey

- Modular construction allows each module to be angled independently
- DALI2 and DMX compatible driver included
- High efficiency of 160lm/W
- IP66, IK09
- Multiple options for optics including asymmetric options
- Programmable driver that can be set to required wattage
- Flicker free



Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DALI2 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Technical Summary

Product Code

VER1200-S50

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

VER1200VER1200-S50

Accessories

Product Code	Description	Type
VER-BOX	Vermillion water proof independent gear box	Housing
VER-COL	Collimator for lighting debuggins	Collimator
VER1200-SHD	Vermillion Lens Shade for VER1200	Shade

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com




Vermillion Lens Shade

VER1200-SHD VER1200-SHD

Vermillion Lens Shade for VER1200

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



Technical Summary

Product Code

VER1200-SHD

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Vermillion Lens Shade

VER1200ER1200-SHD

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



VER600-A50 VER600-A50

Vermillion floodlight 600W asymmetric 50° 5000K Grey

- Modular construction allows each module to be angled independently
- DALI2 and DMX compatible driver included
- High efficiency of 160lm/W
- IP66, IK09
- Multiple options for optics including asymmetric options
- Programmable driver that can be set to required wattage
- Flicker free



Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DALI2 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Technical Summary

Product Code

VER600-A50

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



VER600VER600-A50

Accessories

Product Code	Description	Type
VER-BOX	Vermillion water proof independent gear box	Housing
VER-COL	Collimator for lighting debuggins	Collimator
VER600-SHD	Vermillion Lens Shade for VER600	Shade

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com


Kosnic.com



VER600-B150 VER600-B150

Vermillion floodlight 600W 10° 5000K Grey

- Modular construction allows each module to be angled independently
- DALI2 and DMX compatible driver included
- High efficiency of 150lm/W
- IP66, IK09
- Multiple options for optics including asymmetric options
- Programmable driver that can be set to required wattage
- Flicker free



Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.

General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Technical Summary

Product Code

VER600-B150

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

VER600VER600-B150

Accessories

Product Code	Description	Type
VER-BOX	Vermillion water proof independent gear box	Housing
VER-COL	Collimator for lighting debuggins	Collimator
VER600-SHD	Vermillion Lens Shade for VER600	Shade

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



VER600-B250 VER600-B250

Vermillion floodlight 600W 20° 5000K Grey

- Modular construction allows each module to be angled independently
- DALI2 and DMX compatible driver included
- High efficiency of 150lm/W
- IP66, IK09
- Multiple options for optics including asymmetric options
- Programmable driver that can be set to required wattage
- Flicker free



Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DALI2 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Technical Summary

Product Code

VER600-B250

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



VER600VER600-B250

Accessories

Product Code	Description	Type
VER-BOX	Vermillion water proof independent gear box	Housing
VER-COL	Collimator for lighting debuggins	Collimator
VER600-SHD	Vermillion Lens Shade for VER600	Shade

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com


Kosnic.com



VER600-S50 VER600-S50

Vermillion floodlight 600W 40° 5000K Grey

- Modular construction allows each module to be angled independently
- DALI2 and DMX compatible driver included
- High efficiency of 160lm/W
- IP66, IK09
- Multiple options for optics including asymmetric options
- Programmable driver that can be set to required wattage
- Flicker free



Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W.

DALI2 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Technical Summary

Product Code

VER600-S50

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



VER600VER600-S50

Accessories

Product Code	Description	Type
VER-BOX	Vermillion water proof independent gear box	Housing
VER-COL	Collimator for lighting debuggins	Collimator
VER600-SHD	Vermillion Lens Shade for VER600	Shade

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.



General Information

Materials	Housing: powder coated diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com



Kosnic.com



Vermillion Lens Shade

VER600-SHD VER600-SHD

Vermillion Lens Shade for VER600



Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W. DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.

Technical Summary

Product Code

VER600-SHD

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

Vermillion Lens Shade

VER600VER600-SHD

Overview

Modular construction allows each module to be angled independently with High efficiency of 160lm/W.

DAL12 and DMX compatible driver included. IP66 and IK09, Multiple options for optics including asymmetric options. Programmable driver that can be set to required wattage. Flicker free.

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com

