

Overview

Ceiling mount bracket for
80W/100W floodlight



General Information

Materials	Housing diecast aluminium
Installation Area	External

Della Accessory Bracket



DEL-CBKA DEL-CBKA

Ceiling mount bracket for 80W/100W floodlight

- Ceiling mount bracket
- Quick and easy to install
- For 80W/100W floodlight



Technical Summary	
Product Code	DEL-CBKA

Tel: 01635 523 713
Email: sales@kosnic.com
Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

Della Accessory Bracket



DEL- DEL-CBKA

Accessories

Product Code	Description	Type
DEL-CBKB	Ceiling mount bracket for 150W floodlight	Mount Frame
DEL-CBKC	Ceiling mount bracket for 200W floodlight	Mount Frame

Overview

Ceiling mount bracket for
80W/100W floodlight



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

Della Ceiling Bracket

DEL-CBKB DEL-CBKB

Ceiling mount bracket for 150W floodlight

- Ceiling mount bracket
- Quick and easy to install
- For 150W floodlight



Technical Summary	
Product Code	DEL-CBKB



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Della Ceiling Bracket

DEL- DEL-CBKB

Accessories

Product Code	Description	Type
DEL-CBKA	Ceiling mount bracket for 80W/100W floodlight	Mount Frame
DEL-CBKC	Ceiling mount bracket for 200W floodlight	Mount Frame

Overview

Ceiling mount bracket for 150W floodlight



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Della Ceiling Bracket

DEL-CBKC DEL-CBKC

Ceiling mount bracket for 200W floodlight

- Ceiling mount bracket
- Quick and easy to install
- For 200W floodlight



Overview

Ceiling mount bracket for 200W floodlight



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL-CBKC

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

Della Ceiling Bracket

DEL- DEL-CBKC

Accessories

Product Code	Description	Type
DEL-CBKA	Ceiling mount bracket for 80W/100W floodlight	Mount Frame
DEL-CBKB	Ceiling mount bracket for 150W floodlight	Mount Frame

Overview

Ceiling mount bracket for 200W floodlight



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL100-A40 DEL100-A40

Della flood light IP65 100W asymmetric 4000K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL100-A40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL100DEL100-A40

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit
DEL-CBKA	Ceiling mount bracket for 80W/100W floodlight	Mount Frame

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL100-W65 DEL100-W65

Della flood light IP65 100W 110° 6500K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL100-W65

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL100DEL100-W65

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL100-W65/S DEL100-W65/S

Della flood light IP65 100W 110° 6500K Black PIR ON/OFF

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- Adjustable PIR sensor
- 1m of H05RN-F 3 x 1.0mm² cable



Overview

The Della floodlight comes in a range of wattage options and beam angles.

General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL100-W65/S

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL100DEL100-W65/S

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL150-A40 DEL150-A40

Della flood light IP65 150W asymmetric 4000K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL150-A40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL150DEL150-A40

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit
DEL-CBKB	Ceiling mount bracket for 150W floodlight	Mount Frame

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL150-W65 DEL150-W65

Della flood light IP65 150W 110° 6500K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL150-W65

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL150DEL150-W65

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL200-A40 DEL200-A40

Della flood light IP65 200W asymmetric 4000K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL200-A40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL200DEL200-A40

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit
DEL-CBKC	Ceiling mount bracket for 200W floodlight	Mount Frame

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL200-W65 DEL200-W65

Della flood light IP65 200W 110° 6500K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Technical Summary

Product Code

DEL200-W65



General Information

Materials Housing diecast aluminium

Installation External
Area

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL200DEL200-W65

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL300-A40 DEL300-A40

Della flood light IP65 300W asymmetric 4000K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL300-A40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL300DEL300-A40

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL80-A40 DEL80-A40

Della flood light IP65 80W asymmetric 4000K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

DEL80-A40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL80-DEL80-A40

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit
DEL-CBKA	Ceiling mount bracket for 80W/100W floodlight	Mount Frame

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL80-W65 DEL80-W65
Della flood light IP65 80W 110° 6500K Black

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- 1m of H05RN-F 3 x 1.0mm² cable



Technical Summary	
Product Code	DEL80-W65



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL80-DEL80-W65

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL80-W65/S DEL80-W65/S

Della flood light IP65 100W 80° 6500K Black PIR ON/OFF

- Models available with asymmetric optic lens
- Long life of 50,000hrs
- Diecast aluminium body
- Surge protection
- Adjustable PIR sensor
- 1m of H05RN-F 3 x 1.0mm² cable



Technical Summary	
Product Code	DEL80-W65/S

Overview

The Della floodlight comes in a range of wattage options and beam angles.

General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



DEL80-DEL80-W65/S

Accessories

Product Code	Description	Type
KCWP3IN	IP67 in-line connector	Connector kit

Overview

The Della floodlight comes in a range of wattage options and beam angles.



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Floodlight Spike

FLD-SPK FLD-SPK

Spike for Flood Light, max 50w

- Spike for floodlights
- For use in all environments
- Compatible with floodlights up to 50W
- Surge protection



Overview

Spike for Flood Light, max 50w



General Information

Materials	Housing diecast aluminium
Installation Area	External

Technical Summary

Product Code

FLD-SPK

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

Overview

Spike for Flood Light, max 50w



General Information

Materials	Housing diecast aluminium
Installation Area	External

Floodlight Spike



FLD- FLD-SPK

Accessories

Product Code	Description	Type
FLD-SUP	Supporting arm for Flood Light, max 50w	Mount Frame

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

Floodlight Support Arm

FLD-SUP FLD-SUP

Supporting arm for Flood Light, max 50w

- Supporting arm for floodlights
- For use in all environments
- Compatible with floodlights up to 50W



Technical Summary	
Product Code	FLD-SUP



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Floodlight Support Arm

FLD- FLD-SUP

Accessories

Product Code	Description	Type
FLD-SPK	Spike for Flood Light, max 50w	Mount Frame

Overview

Supporting arm for Flood Light, max 50w



General Information

Materials	Housing diecast aluminium
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com

