




02 Recessed Spots Fixed LED>The Super Mini Series

10101L/B/W



1W Recessed Star Light LED spot, IP44.

Requires 350mA driver. Driver cannot pass through the cut-out hole.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Super Mini Series
Order Code	10101L/B/W
Colour	Black
Material	Aluminium
Shape	Circular

Height
Diameter
Cutout Hole Diameter
Recessed Ceiling
Recessed wall
Depth Required
Indoor
Adjustable

21mm
16mm
12mm
Yes
Yes
30mm
Yes
No

Electrical Characteristics

Fitting

Input Type
Input Current
Safety Class
Power(Watts)
IP Rating
Light Source
LED Brand
Cable Length
F Mark

Constant Current
350mA

1W
IP44
LED built in
Bridgelux
100cm


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
95lm
95lm/W
90


Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	4,5cm
Box Weight	0.040kg
Pcs/Carton	100
Barcode	5291889060963
HS Code	9405413990

Certification & Warranty

Warranty	3 years
----------	---------


switch to
one light!

one
LIGHT



02 Recessed Spots Fixed LED>The Super Mini Series

10101L/W/BL



1W Recessed Star Light LED spot, IP44.

Requires 350mA driver. Driver cannot pass through the cut-out hole.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Super Mini Series
Order Code	10101L/W/BL
Colour	White
Material	Aluminium
Shape	Circular
Height	21mm
Diameter	16mm
Cutout Hole Diameter	12mm
Recessed Ceiling	Yes
Recessed wall	Yes
Depth Required	30mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	1W
IP Rating	IP44
Light Source	LED built in
LED Type	COB
LED Brand	Lumileds
Cable Length	100cm
F Mark	

Illumination Data

Colour Temperature

Blue

Illumination Diagram



Packing Info

Box Length

6,5cm

Box Width

6,5cm

Box Height

4,5cm

Box Weight

0.051kg

Pcs/Carton

100

Barcode

5291889053286

HS Code

9405413990

Certification & Warranty

Warranty


3 years

switch to
one light!



02 Recessed Spots Fixed LED>The Super Mini Series

10101L/W/W



1W Recessed Star Light LED spot, IP44.

Requires 350mA driver. Driver cannot pass through the cut-out hole.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Super Mini Series
Order Code	10101L/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	21mm
Diameter	16mm
Cutout Hole Diameter	12mm
Recessed Ceiling	Yes
Recessed wall	Yes
Depth Required	30mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	1W
IP Rating	IP44
Light Source	LED built in
LED Brand	Bridgelux
Cable Length	100cm
F Mark	

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
95lm
95lm/W
90


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

6,5cm
6,5cm
4,5cm
0.040kg
100
5291889050322
9405413990

Certification & Warranty

Warranty

3 years

switch to
one light!

