Product Datasheet

www.1-light.eu

02 Recessed Spots Fixed LED>The Trimless 3W Range Aluminium

10103BTR/B/V

3W CCT Variable COB Recessed Trimless Dark Light spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V 90 CRI DIMMABLE DARK LIGHT QUICK FIX CE

Downloads

IES

Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Trimless 3W Range Aluminium
Order Code	10103BTR/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	61mm
Diameter	35mm
Cutout Hole Diameter	42mm
Recessed trimmless ceiling	Yes
Depth Required	80mm
Indoor	Yes

Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	240lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.130kg
Pcs/Carton	100
Barcode	5291889081500
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

Product Datasheet

www.1-light.eu

02 Recessed Spots Fixed LED>The Trimless 3W Range Aluminium

10103BTR/W/V



3W CCT Variable COB Recessed Trimless Dark Light spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V 90 CRI DIMMABLE DARK LIGHT QUICK FIX CE

Downloads

IES

Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Trimless 3W Range Aluminium
Order Code	10103BTR/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	61mm
Diameter	35mm
Cutout Hole Diameter	42mm
Recessed trimmless ceiling	Yes
Depth Required	80mm
Indoor	Yes

Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	III
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	240lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.130kg
Pcs/Carton	100
Barcode	5291889081531
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!