

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only



Alden 2 Pro

ALDP1203-SCT ALDP1203-SCT

Alden 2 Pro 27W backlit LED panel 1200x300 CCT switchable

- Save up to 50% energy usage compared to traditional fluorescent fittings
- Square edge tray with robust structure to allow even light distribution around the edge
- TP(a) rated diffuser
- DALI, 1-10V (0-10V) and Push dimming alternative driver available
- IP44/IP65(27W and 36W) when ceiling recess mounted
- Include Philips CertaDriver LED driver
- Flicker free
- UGR < 19
- Optional anti-glare diffusers available



Overview

Alden Pro LED panels offer direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retrofit replacement for in-lay ceiling tile fittings. Power and CCT switchable and supplied with polycarbonate or polystyrene diffusers and flicker-free drivers as standard.

General Information

Materials	Housing powder coated aluminium, Diffuser polystyrene
Installation Area	Internal

Technical Summary

Product Code

ALDP1203-SCT

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only

Alden 2 Pro



ALDP1203DP1203-SCT

Optional Gear

Product Code	Description	Type
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
UEM04/ST	Universal Emergency Module Pro 4W Self Test	Self-test Emergency Module
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM03/ST	Universal Emergency Module 3W Self Test	Self-test Emergency Module
UEM03	Universal Emergency Module 3W	Emergency Module
CYC040TDC50-105	40W DALI2 1-10V primary push dim driver (KL40C-PDiiV)	Dimmable Driver
CYC030TDC30-90	30W DALI2 1-10V primary push dim driver (KL30C-PDiiV)	Dimmable Driver
DRC40/DA	Dimmable Driver: 40W DALI2 1- 10V primary push dim driver	Dimmable Driver

Accessories

Product Code	Description	Type
ALDAG-1206	Alden 595x1295mm anti-glare diffuser	Diffuser
ALDAG-1203	Alden 295x1295mm anti-glare diffuser	Diffuser
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SMT1206	Surface-mount frame for 1200x600 panel, White	Mount Frame
SMT1203	Surface-mount frame for 1200x300 panel, White	Mount Frame

Overview

Alden Pro LED panels offer direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retrofit replacement for in-lay ceiling tile fittings. Power and CCT switchable and supplied with polycarbonate or polystyrene diffusers and flicker-free drivers as standard.



General Information

Materials	Housing powder coated aluminium, Diffuser polystyrene
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

Alden Pro LED panels offer direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retrofit replacement for in-lay ceiling tile fittings. Supplied with polycarbonate or polystyrene diffusers and flicker-free drivers as standard.



General Information

Materials	Housing powder coated aluminium, Diffuser polystyrene
Installation Area	Internal

Alden 2 Pro

ALDP18-W40 ALDP18-W40

Alden HE 18W 4000K Backlit LED panel with emergency option

- High efficiency up to 167lm/W
- Square edge tray with robust structure to allow even light
- TP(a) rated diffuser for enhanced fire safety
- Optional plug-in emergency modules, available in manual, self-test and DALI
- DALI, 1-10V (0-10V) and PUSH dimming only with alternative driver (sold separately)
- IP44 when ceiling recess mounted
- Flicker free



Technical Summary

Product Code

ALDP18-W40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK



7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only



Alden 2 Pro

ALDP18ALDP18-W40

Optional Gear

Product Code	Description	Type
UEM03	Universal Emergency Module 3W	Emergency Module
UEM03/ST	Universal Emergency Module 3W Self Test	Self-test Emergency Module
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM04/ST	Universal Emergency Module Pro 4W Self Test	Self-test Emergency Module
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
CYC030TDC30-90	30W DALI2 1-10V primary push dim driver (KL30C-PDiiV)	Dimmable Driver
DRC20/DA	Dimmable Driver: 20W DALI2 primary push dim driver	Dimmable Driver

Accessories

Product Code	Description	Type
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SMT0606	Surface-mount frame for 600x600 panel, White	Mount Frame
ALDAG-0606	Alden 595x595mm anti-glare diffuser	Diffuser
SAS0505	Clips for SAS150, SAS120, Burgess ceilings	Tool
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit
SBX0606	Surface-mount frame Pre-build 595x595mm, White	Mount Frame
CON4F3M	Push-wire connector 4 pin to 3pin	Connector kit
CON4F4M	Push-wire connector 4 pin to 4 pin	Connector kit

Overview

Alden Pro LED panels offer direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retrofit replacement for in-lay ceiling tile fittings. Supplied with polycarbonate or polystyrene diffusers and flicker-free drivers as standard.



General Information

Materials	Housing powder coated aluminium, Diffuser polystyrene
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

Alden Pro LED panels offer direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retrofit replacement for in-lay ceiling tile fittings. Supplied with polycarbonate or polystyrene diffusers and flicker-free drivers as standard.



General Information

Materials	Housing powder coated aluminium, Diffuser polystyrene
Installation Area	Internal

Alden 2 Pro

ALDP18-W65 ALDP18-W65

Alden HE 18W 6500K Backlit LED panel with emergency option

- High efficiency up to 167lm/W
- Square edge tray with robust structure to allow even light
- TP(a) rated diffuser for enhanced fire safety
- Optional plug-in emergency modules, available in manual, self-test and DALI
- DALI, 1-10V (0-10V) and PUSH dimming only with alternative driver (sold separately)
- IP44 when ceiling recess mounted
- Flicker free
- UGR < 19
- SDCM < 3



Technical Summary

Product Code

ALDP18-W65

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK



7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only

Alden 2 Pro



ALDP18ALDP18-W65

Optional Gear

Product Code	Description	Type
UEM03	Universal Emergency Module 3W	Emergency Module
UEM03/ST	Universal Emergency Module 3W Self Test	Self-test Emergency Module
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM04/ST	Universal Emergency Module Pro 4W Self Test	Self-test Emergency Module
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
CYC030TDC30-90	30W DALI2 1-10V primary push dim driver (KL30C-PDiiV)	Dimmable Driver
DRC20/DA	Dimmable Driver: 20W DALI2 primary push dim driver	Dimmable Driver

Accessories

Product Code	Description	Type
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SMT0606	Surface-mount frame for 600x600 panel, White	Mount Frame
ALDAG-0606	Alden 595x595mm anti-glare diffuser	Diffuser
SAS0505	Clips for SAS150, SAS120, Burgess ceilings	Tool
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit
SBX0606	Surface-mount frame Pre-build 595x595mm, White	Mount Frame
CON4F3M	Push-wire connector 4 pin to 3pin	Connector kit
CON4F4M	Push-wire connector 4 pin to 4 pin	Connector kit

Overview

Alden Pro LED panels offer direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retrofit replacement for in-lay ceiling tile fittings. Supplied with polycarbonate or polystyrene diffusers and flicker-free drivers as standard.



General Information

Materials	Housing powder coated aluminium, Diffuser polystyrene
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only



Alden 2 Pro

ALDP27-SCT ALDP27-SCT

Alden 2 Pro 27W 600x600 IP65 CCT switchable

- Save up to 50% energy usage compared to traditional fluorescent fittings
- Square edge tray with robust structure to allow even light distribution around the edge
- TP(a) rated diffuser
- DALI, 1-10V (0-10V) and Push dimming alternative driver available
- IP44/IP65(27W and 36W) when ceiling recess mounted
- Include Philips CertaDriver LED driver
- Flicker free
- UGR < 19
- Optional anti-glare diffusers available



Overview

Alden Pro LED panels offer direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retrofit replacement for in-lay ceiling tile fittings. CCT switchable and Supplied with polycarbonate or polystyrene diffusers and flicker-free drivers as standard.

General Information

Materials	Housing powder coated aluminium, Diffuser polystyrene
Installation Area	Internal

Technical Summary

Product Code

ALDP27-SCT

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only

Alden 2 Pro



ALDP27ALDP27-SCT

Optional Gear

Product Code	Description	Type
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
UEM04/ST	Universal Emergency Module Pro 4W Self Test	Self-test Emergency Module
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM03/ST	Universal Emergency Module 3W Self Test	Self-test Emergency Module
UEM03	Universal Emergency Module 3W	Emergency Module
CYC030TDC30-90	30W DALI2 1-10V primary push dim driver (KL30C-PDiiV)	Dimmable Driver
EMPAD02/ST	Niah Emergency Panel kit 3.5W Self test	Self-test Emergency Module
DRC40/DA	Dimmable Driver: 40W DALI2 1- 10V primary push dim driver	Dimmable Driver

Accessories

Product Code	Description	Type
ALDAG-0606	Alden 595x595mm anti-glare diffuser	Diffuser
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SMT0606	Surface-mount frame for 600x600 panel, White	Mount Frame
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit

Overview

Alden Pro LED panels offer direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retrofit replacement for in-lay ceiling tile fittings. CCT switchable and Supplied with polycarbonate or polystyrene diffusers and flicker-free drivers as standard.



General Information

Materials	Housing powder coated aluminium, Diffuser polystyrene
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK