



02 Recessed Spots Fixed LED>The 3W Dark Light Range Aluminium

10103E/B/BS/W



3W Recessed Dark Light LED spot IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Must be ordered separately



89004

Related items



89004T

Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family	The 3W Dark Light Range Aluminium
Order Code	10103E/B/BS/W
Colour	Black-Brass
Material	Aluminium
Shape	Circular
Height	52mm
Diameter	50mm
Cutout Hole Diameter	44mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	8,7V
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
--------------------	-------

Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

240lm@3W
80lm/W
90
36°

Yes

Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.094kg
50
5291889071129
9405413990

Certification & Warranty

Warranty

5 years

switch to
one light!





Product Datasheet

www.1-light.eu

02 Recessed Spots Fixed LED>The 3W Dark Light Range Aluminium

10103E/W/B/W



3W Recessed Dark Light LED spot IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Must be ordered separately



89004

Related items



89004T

Physical Specification

Item Group

02 Recessed Spots Fixed LED



Family	The 3W Dark Light Range Aluminium
Order Code	10103E/W/B/W
Colour	White-Black
Material	Aluminium
Shape	Circular
Height	52mm
Diameter	50mm
Cutout Hole Diameter	44mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	8,7V
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
--------------------	-------

Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

240lm@3W
80lm/W
90
36°

Yes

Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.094kg
50
5291889071143
9405413990

Certification & Warranty

Warranty

5 years

switch to
one light!

