

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only



Alden 4

ALD41206-W40 ALD41206-W40

Alden 4 wattage switchable backlit LED panel, 1200x600, 4000K

- UGR <19
- Save up to 17% energy usage compared with Alden III
- High efficiency up to 150lm/W
- TP(a) rated diffuser for enhanced fire safety
- DALI, 0-10V and PUSH dimming alternative driver available
- Optional plug-in emergency modules, available in standard, self-test and DALI
- IP44 when ceiling recessed mounted
- Visual comfort flicker free technology with short term flicker perceptibility (Pst) being measured at 0
- SDCM <3

Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.



General Information

Materials	Housing: Iron + Aluminium, Diffuser: Polystyrene (TP(a))
Installation Area	Internal

Technical Summary

Product Code

ALD41206-W40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Alden 4



ALD41206
ALD41206-W40

Optional Gear

Product Code	Description	Type
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM03	Universal Emergency Module 3W	Emergency Module
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
UEM03/SST	Universal Emergency Module Duo 3.5W Standard&Self-test	Emergency Module
UEM04/SST	Universal Emergency Module Pro Duo 4W Standard/Self Test	Emergency Module
EMPAD02/SST	Niah Duo Emergency Panel kit 2.5W Manual & Self-test	Emergency Kit
DRC42/CSB	Dimmable Driver: Casambi dimmable driver 42W Bluetooth & PUSH button	Dimmable Driver
DRC30/DA	Dimmable Driver: 30W DALI, 1-10V, Primary PUSH Driver	Dimmable Driver
DRC40/DA	Dimmable Driver: 40W DALI2 1-10V primary push dim driver	Dimmable Driver

Accessories

Product Code	Description	Type
ALDAG-1206	Alden 595x1295mm anti-glare diffuser	Diffuser
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SMT1206	Surface-mount frame for 1200x600 panel, White	Mount Frame
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit
REC1206	Recessed-mount frame 595x1195mm white	Mount Frame

Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.



General Information

Materials	Housing: Iron + Aluminium, Diffuser: Polystyrene (TP(a))
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Alden 4

ALD425-W30 ALD425-W30

Alden 4 20W/25W/30W/36W backlit LED panel 595x595 CCT 3000k

- UGR <19
- Save up to 17% energy usage compared with Alden III
- High efficiency up to 150lm/W
- TP(a) rated diffuser for enhanced fire safety
- DALI, 0-10V and PUSH dimming alternative driver available
- Optional plug-in emergency modules, available in standard, self-test and DALI
- IP44 when ceiling recessed mounted
- Visual comfort flicker free technology with short term flicker perceptibility (Pst) being measured at 0
- SDCM <3



Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.

General Information

Materials	Housing: Iron + Aluminium, Diffuser: Polystyrene (TP(a))
Installation Area	Internal

Technical Summary

Product Code

ALD425-W30

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Alden 4



ALD425ALD425-W30

Optional Gear

Product Code	Description	Type
UEM03	Universal Emergency Module 3W	Emergency Module
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM04/DA	Universal Emergency Module Pro DALI 4W	Emergency Module
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
DRC30/DA	Dimmable Driver: 30W DALI, 1-10V, Primary PUSH Driver	Dimmable Driver
DRC40/DA	Dimmable Driver: 40W DALI2 1-10V primary push dim driver	Dimmable Driver
UEM03/SST	Universal Emergency Module Duo 3.5W Standard&Self-test	Emergency Module
UEM04/SST	Universal Emergency Module Pro Duo 4W Standard/Self Test	Emergency Module
EMPAD02/SST	Niah Duo Emergency Panel kit 2.5W Manual & Self-test	Emergency Kit
DRC42/CSB	Dimmable Driver: Casambi dimmable driver 42W Bluetooth & PUSH button	Dimmable Driver

Accessories

Product Code	Description	Type
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit
SMT0606	Surface-mount frame for 600x600 panel, White	Mount Frame
SAS0606	Clips for Burgess ceilings	Clips/Brackets
REC0606	Recessed-mount frame 595x595mm white	Mount Frame
SRF0606	Skylight Recessed Frame 595x595mm	Mount Frame
ALDAG-0606	Alden 595x595mm anti-glare diffuser	Diffuser
SBX0606	Surface-mount frame Pre-build 595x595mm, White	Mount Frame

Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.



General Information

Materials	Housing: Iron + Aluminium, Diffuser: Polystyrene (TP(a))
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only



Alden 4

ALD425-W40 ALD425-W40

Alden 4 20W/25W/30W/36W backlit LED panel 595x595 CCT 4000k

- UGR <19
- Save up to 17% energy usage compared with Alden III
- High efficiency up to 150lm/W
- TP(a) rated diffuser for enhanced fire safety
- DALI, 0-10V and PUSH dimming alternative driver available
- Optional plug-in emergency modules, available in standard, self-test and DALI
- IP44 when ceiling recessed mounted
- Visual comfort flicker free technology with short term flicker perceptibility (Pst) being measured at 0
- SDCM <3



Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.

General Information

Materials	Housing: Iron + Aluminium, Diffuser: Polystyrene (TP(a))
Installation Area	Internal

Technical Summary

Product Code

ALD425-W40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Alden 4



ALD425ALD425-W40

Optional Gear

Product Code	Description	Type
UEM03	Universal Emergency Module 3W	Emergency Module
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM04/DA	Universal Emergency Module Pro DALI 4W	Emergency Module
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
DRC30/DA	Dimmable Driver: 30W DALI, 1-10V, Primary PUSH Driver	Dimmable Driver
DRC40/DA	Dimmable Driver: 40W DALI2 1-10V primary push dim driver	Dimmable Driver
UEM03/SST	Universal Emergency Module Duo 3.5W Standard&Self-test	Emergency Module
UEM04/SST	Universal Emergency Module Pro Duo 4W Standard/Self Test	Emergency Module
EMPAD02/SST	Niah Duo Emergency Panel kit 2.5W Manual & Self-test	Emergency Kit
DRC42/CSB	Dimmable Driver: Casambi dimmable driver 42W Bluetooth & PUSH button	Dimmable Driver

Accessories

Product Code	Description	Type
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit
SMT0606	Surface-mount frame for 600x600 panel, White	Mount Frame
SAS0606	Clips for Burgess ceilings	Clips/Brackets
REC0606	Recessed-mount frame 595x595mm white	Mount Frame
SRF0606	Skylight Recessed Frame 595x595mm	Mount Frame
ALDAG-0606	Alden 595x595mm anti-glare diffuser	Diffuser
SBX0606	Surface-mount frame Pre-build 595x595mm, White	Mount Frame

Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.



General Information

Materials	Housing: Iron + Aluminium, Diffuser: Polystyrene (TP(a))
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only



Alden 4

ALD425-W65 ALD425-W65

Alden 4 20W/25W/30W/36W backlit LED panel 595x595 CCT 6500k

- UGR <19
- Save up to 17% energy usage compared with Alden III
- High efficiency up to 150lm/W
- TP(a) rated diffuser for enhanced fire safety
- DALI, 0-10V and PUSH dimming alternative driver available
- Optional plug-in emergency modules, available in standard, self-test and DALI
- IP44 when ceiling recessed mounted
- Visual comfort flicker free technology with short term flicker perceptibility (Pst) being measured at 0
- SDCM <3



Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.

General Information

Materials	Housing: Iron + Aluminium, Diffuser: Polystyrene (TP(a))
Installation Area	Internal

Technical Summary

Product Code

ALD425-W65

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Alden 4



ALD425ALD425-W65

Optional Gear

Product Code	Description	Type
UEM03	Universal Emergency Module 3W	Emergency Module
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM04/DA	Universal Emergency Module Pro DALI 4W	Emergency Module
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
DRC30/DA	Dimmable Driver: 30W DALI, 1-10V, Primary PUSH Driver	Dimmable Driver
DRC40/DA	Dimmable Driver: 40W DALI2 1-10V primary push dim driver	Dimmable Driver
UEM03/SST	Universal Emergency Module Duo 3.5W Standard&Self-test	Emergency Module
UEM04/SST	Universal Emergency Module Pro Duo 4W Standard/Self Test	Emergency Module
EMPAD02/SST	Niah Duo Emergency Panel kit 2.5W Manual & Self-test	Emergency Kit
DRC42/CSB	Dimmable Driver: Casambi dimmable driver 42W Bluetooth & PUSH button	Dimmable Driver

Accessories

Product Code	Description	Type
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit
SMT0606	Surface-mount frame for 600x600 panel, White	Mount Frame
SAS0606	Clips for Burgess ceilings	Clips/Brackets
REC0606	Recessed-mount frame 595x595mm white	Mount Frame
SRF0606	Skylight Recessed Frame 595x595mm	Mount Frame
ALDAG-0606	Alden 595x595mm anti-glare diffuser	Diffuser
SBX0606	Surface-mount frame Pre-build 595x595mm, White	Mount Frame

Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.



General Information

Materials	Housing: Iron + Aluminium, Diffuser: Polystyrene (TP(a))
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 **5 Years**
Product Warranty
UK Only

2 **2 Years**
On-Site Warranty
Main-land UK Only



Alden 4

ALD4AG25-SCT ALD4AG25-SCT

Alden 4 Anti-Glare 20W/25W/30W/36W backlit LED panel

- Switchable wattage and CCT (3000/4000/6500K)
- High efficiency up to 140lm/W
- UGR<17
- Save up to 17% energy usage compared with Alden 3
- TP(a) rated diffuser for enhanced fire safety
- DALI, 0-10V and PUSH dimming alternative driver available
- Optional plug-in emergency modules, available in standard, self-test and DALI
- IP44 when ceiling recessed mounted
- Visual comfort flicker free technology with short term flicker perceptibility (Pst) being measured at 0
- SDCM <3



Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.

General Information

Materials	Housing: Iron + aluminium, Diffuser: Polystyrene TP(a)
Installation Area	Internal

Technical Summary

Product Code

ALD4AG25-SCT

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Alden 4



ALD4AG25-AG25-SCT

Optional Gear

Product Code	Description	Type
DRC42/CSB	Dimmable Driver: Casambi dimmable driver 42W Bluetooth & PUSH button	Dimmable Driver
DRC40/DA	Dimmable Driver: 40W DALI2 1-10V primary push dim driver	Dimmable Driver
DRC40/D	Dimmable Driver 40W Phase-cut	
UEM03/SST	Universal Emergency Module Duo 3.5W Standard&Self-test	Emergency Module
UEM04/SST	Universal Emergency Module Pro Duo 4W Standard/Self Test	Emergency Module
UEM04/DA	Universal Emergency Module Pro DALI 4W	Emergency Module
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
EMPAD02/SST	Niah Duo Emergency Panel kit 2.5W Manual & Self-test	Emergency Kit

Accessories

Product Code	Description	Type
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit
SMT0606	Surface-mount frame for 600x600 panel, White	Mount Frame
SAS0606	Clips for Burgess ceilings	Clips/Brackets
REC0606	Recessed-mount frame 595x595mm white	Mount Frame
SRF0606	Skylight Recessed Frame 595x595mm	Mount Frame
SBX0606	Surface-mount frame Pre-build 595x595mm, White	Mount Frame

Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.



General Information

Materials	Housing: Iron + aluminium, Diffuser: Polystyrene TP(a)
Installation Area	Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only



Alden 4

ALD4AG25-W40 ALD4AG25-W40

Alden 4 Anti-Glare 25W/28W/32W/36W backlit LED panel 4000k

- Switchable wattage (3000/4000/6500K)
- High efficiency up to 140lm/W
- UGR<17
- Save up to 17% energy usage compared with Alden III
- TP(a) rated diffuser for enhanced fire safety
- DALI 0-10V and PUSH dimming alternative driver available
- Optional plug-in emergency modules, available in standard, self-test and DALI
- IP44 when ceiling recessed mounted
- Visual comfort flicker free technology with short term flicker perceptibility (Pst) being measured at 0
- SDCM <3



Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.

General Information

Materials	Housing: Iron + aluminium, Diffuser: Polystyrene TP(a)
Installation Area	Internal

Technical Summary

Product Code

ALD4AG25-W40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

5 5 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Alden 4



ALD4AG25-4AG25-W40

Overview

The Kosnic Alden 4 LED panel offers direct backlit lighting with wide-angle optics to achieve even light distribution across the surface of the luminaire and is an easy-to-retro replacement for in-lay ceiling tile fittings. The panels are supplied with flicker-free drivers as standard.



General Information

Materials	Housing: Iron + aluminium, Diffuser: Polystyrene TP(a)
Installation Area	Internal

Optional Gear

Product Code	Description	Type
UEM03	Universal Emergency Module 3W	Emergency Module
UEM04	Universal Emergency Module Pro 4W	Emergency Module
UEM04/DA	Universal Emergency Module Pro DALI 4W	Emergency Module
EMPAD02	Niah Emergency Panel kit 2.5W Manual test	Emergency Module
DRC30/DA	Dimmable Driver: 30W DALI, 1-10V, Primary PUSH Driver	Dimmable Driver
EMPAD02/ST	Niah Emergency Panel kit 3.5W Self test	Self-test Emergency Module
DRC40/DA	Dimmable Driver: 40W DALI2 1-10V primary push dim driver	Dimmable Driver
UEM03/SST	Universal Emergency Module Duo 3.5W Standard&Self-test	Emergency Module
UEM04/SST	Universal Emergency Module Pro Duo 4W Standard/Self Test	Emergency Module
EMPAD02/SST	Niah Duo Emergency Panel kit 2.5W Manual & Self-test	Emergency Kit
DRC42/CSB	Dimmable Driver: Casambi dimmable driver 42W Bluetooth & PUSH button	Dimmable Driver

Accessories

Product Code	Description	Type
SUS04	LED Panel & Slim Line 2 suspension kit (4 cables per bag)	Suspension Kit
SUS04/25	Suspension kit 2.5m Alden & Nevis & Slim Line 2 (4 cables per bag)	Suspension Kit
SMT0606	Surface-mount frame for 600x600 panel, White	Mount Frame
SAS0606	Clips for Burgess ceilings	Clips/Brackets
REC0606	Recessed-mount frame 595x595mm white	Mount Frame
SRF0606	Skylight Recessed Frame 595x595mm	Mount Frame

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK