

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet III is a perfect upgrade.



General Information


Installation Area Internal

Kennet 3

KEN34F-SCT KEN34F-SCT

Kennet 3 16/20/24/28W 4ft batten CCT switchable

- High efficiency up to 132lm/W
- Switchable wattage and CCT (3000/4000/6000K)
- UGR <19
- Optional plug-in microwave corridor sensor compatible with Uni-Remote
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Ideal replacement for twin T8 surface mount battens
- 20mm Conduit entry and BESA box fitting points
- Optional DALI conversion module
- Ultra-slim height of only 56mm



Technical Summary

Product Code

KEN34F-SCT

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet 3



KEN34RKEN34F-SCT

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
LUL-M/D	Lulu Plug in microwave motion and daylight sensor 12V DC	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



Overview

The Kennet is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet III is a perfect upgrade.

General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet III is a perfect upgrade.



General Information

Installation Area Internal


Kennet 3



KEN34F-SCT/DA KEN34F-SCT/DA

Kennet 3 16/20/24/28W 4ft batten CCT switchable, DALI

- High efficiency up to 132lm/W
- Switchable wattage and CCT (3000/4000/6000K)
- UGR <19
- 20mm Conduit entry and BESA box fitting points
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Ideal replacement for twin T8 surface mount battens
- DALI and PUSH dimming alternative driver
- Ultra-slim height of only 56mm



Technical Summary

Product Code

KEN34F-SCT/DA

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet 3



KEN34RKEN34F-SCT/DA

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
LUL-M/D	Lulu Plug in microwave motion and daylight sensor 12V DC	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet III is a perfect upgrade.



General Information


Installation Area Internal

Kennet 3

KEN35F-SCT KEN35F-SCT

Kennet 3 26/32/38/45W 5ft batten CCT switchable

- High efficiency up to 132lm/W
- Switchable wattage and CCT (3000/4000/6000K)
- UGR <19
- Optional plug-in microwave corridor sensor compatible with Uni-Remote
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Ideal replacement for twin T8 surface mount battens
- 20mm Conduit entry and BESA box fitting points
- Optional DALI conversion module
- Ultra-slim height of only 56mm
- Hinged front cover for easier installation



Technical Summary

Product Code

KEN35F-SCT

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet 3



KEN35RKEN35F-SCT

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
LUL-M/D	Lulu Plug in microwave motion and daylight sensor 12V DC	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet III is a perfect upgrade.



General Information


Installation Area Internal

Kennet 3

KEN35F-SCT/DA KEN35F-SCT/DA

Kennet 3 26/32/38/45W 5ft batten CCT switchable, DALI

- High efficiency up to 132lm/W
- Switchable wattage and CCT (3000/4000/6000K)
- UGR <19
- 20mm Conduit entry and BESA box fitting points
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Ideal replacement for twin T8 surface mount battens
- DALI and PUSH dimming alternative driver
- Ultra-slim height of only 56mm



Technical Summary

Product Code

KEN35F-SCT/DA

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet 3



KEN35RKEN35F-SCT/DA

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
LUL-M/D	Lulu Plug in microwave motion and daylight sensor 12V DC	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet III is a perfect upgrade.



General Information


Installation Area Internal

Kennet 3

KEN36F-SCT KEN36F-SCT

Kennet 3 35/43/51/60W 6ft batten CCT switchable

- High efficiency up to 132lm/W
- Switchable wattage and CCT (3000/4000/6000K)
- UGR <19
- Optional plug-in microwave corridor sensor compatible with Uni-Remote
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Ideal replacement for twin T8 surface mount battens
- 20mm Conduit entry and BESA box fitting points
- Optional DALI conversion module
- Ultra-slim height of only 56mm



Technical Summary

Product Code

KEN36F-SCT

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet 3



KEN36RKEN36F-SCT

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
LUL-M/D	Lulu Plug in microwave motion and daylight sensor 12V DC	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet III is a perfect upgrade.



General Information

Installation Area Internal


Kennet 3



KEN36F-SCT/DA KEN36F-SCT/DA

Kennet 3 35/43/51/60W 6ft batten CCT switchable, DALI

- High efficiency up to 132lm/W
- Switchable wattage and CCT (3000/4000/6000K)
- UGR <19
- 20mm Conduit entry and BESA box fitting points
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Ideal replacement for twin T8 surface mount battens
- DALI and PUSH dimming alternative driver
- Ultra-slim height of only 56mm



Technical Summary

Product Code

KEN36F-SCT/DA

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet 3



KEN36RKEN36F-SCT/DA

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
LUL-M/D	Lulu Plug in microwave motion and daylight sensor 12V DC	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK