

7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet CCT is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet is a perfect upgrade.



General Information

Installation Area Internal

Kennet CCT



KENC4F KENC4F

Kennet CCT 4ft 17/22/26/30W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Optional plug-in microwave ON/OFF sensor compatible with Uni-Remote
- Ideal replacement for twin T8 surface-mount battens
- 20mm Conduit entry
- BESA box fitting points



Technical Summary

Product Code

KENC4F

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet CCT



KENC4#KENC4F

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
HON-M	Hontza Plug in microwave motion & daylight sensor	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



Overview

The Kennet CCT is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet is a perfect upgrade.

General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet CCT is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet is a perfect upgrade.



General Information

Installation Area Internal

Kennet CCT



KENC5F KENC5F

Kennet CCT 5ft 28/34/41/48W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Optional plug-in microwave ON/OFF sensor compatible with Uni-Remote
- Ideal replacement for twin T8 surface-mount battens
- 20mm Conduit entry
- BESA box fitting points



Technical Summary

Product Code

KENC5F

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet CCT



KENC5F

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
HON-M	Hontza Plug in microwave motion & daylight sensor	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



Overview

The Kennet CCT is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet is a perfect upgrade.

General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



7 Years
Product Warranty
UK Only

2 Years
On-Site Warranty
Main-land UK Only

Overview

The Kennet CCT is designed to be an excellent replacement for twin T8 surface mount battens. With CCT and wattage switching and flicker free output the improvement over fluorescent lights is dramatic, and with the options for DALI and push dimming the Kennet is a perfect upgrade.



General Information

Installation Area Internal

Kennet CCT



KENC6F KENC6F

Kennet CCT 6ft 37/47/56/65W CCT switchable interior batten

- Switchable wattage and CCT (3000/4000/6000K)
- Optional plug-in emergency modules, available in standard, self-test and DALI
- Optional plug-in microwave ON/OFF sensor compatible with Uni-Remote
- Ideal replacement for twin T8 surface-mount battens
- 20mm Conduit entry
- BESA box fitting points



Technical Summary

Product Code

KENC6F

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

7 7 Years
Product Warranty
UK Only

2 2 Years
On-Site Warranty
Main-land UK Only

Kennet CCT



KENC6F

Optional Gear

Product Code	Description	Type
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/SST	BEM Duo 3W Manual/Self test emergency module for Kosnic battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
HON-M	Hontza Plug in microwave motion & daylight sensor	Microwave Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control



General Information

Installation Area Internal

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK