



CorePro LED spot MV



Corepro LEDspot 4.6-50W GU10 827 36D UK

CorePro, LEDspot, PAR16, 50 W, GU10, 2700 K, 355 lm, CRI 80, 15000 h

CorePro, LEDspot, PAR16, 50 W, GU10, 2700 K, 355 lm, CRI 80, 15000 h, 77.00 lm/W, EEL F, PF 0.5, RG1, IP20, SVM 0.4, PstLM 1

Product data

General Information	
Cap base	GU10
Nominal lifetime	15,000 h
Switching Cycle	50,000
Lighting Technology	LEDspot
Light Technical	
Colour Code	827 [CCT of 2700K]
Beam angle (nom.)	36 degree(s)
Luminous Flux	355 lm
Luminous intensity (nom.)	700 cd
Colour designation	Warm White (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	77.00 lm/W
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %
Luminous flux in 90° cone (rated)	355 lm
Photobiological safety according to EN 62471	RG1

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz
Power Consumption	4.6 W
Lamp current (nom.)	39 mA
Wattage equivalent	50 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (nom.)	220-240 V
Temperature	
T-Case maximum (nom.)	80 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb shape	PAR16
Net Weight (Piece)	0.045 kg

CorePro LED spot MV

Approval and Application

Energy Efficiency Class	F
Suitable for accent lighting	Yes
Energy consumption kWh/1,000 hours	5 kWh
EPREL Registration Number	387358
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM)	1
Stroboscopic effect	0.4
Ambient temperature range	-20 to +45 °C


Application Conditions

Wireless Technology	Not applicable
---------------------	----------------

Product Data



Order product name	Corepro LEDspot 4.6-50W GU10 827 36D UK
Full product name	Corepro LEDspot 4.6-50W GU10 827 36D UK
Full EOC	871869675251701
Order code	929001215268
Material no. (12 NC)	929001215268
Numerator – quantity per pack	1
EAN/UPC – Product/Case	8718696752517
Numerator – packs per outer box	10
EAN/UPC – Case	8719514406018

Dimensional drawing



Product	D	C
Corepro LEDspot 4.6-50W GU10 827 36D UK	50 mm	54 mm

Photometric data




Spectral Power Distribution Colour - Corepro LEDspot 4.6-50W GU10 827 36D UK

General uniform lighting - Corepro LEDspot 4.6-50W GU10 827 36D UK

CorePro LED spot MV

Photometric data




Light Distribution Diagram - Corepro LEDspot 4.6-50W GU10 827 36D UK

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - Corepro LEDspot 4.6-50W GU10 827 36D UK

