

Kennet Go

KENG24F-W40 KENG24F-W40

Kennet Go 17/22/26/30W 4ft slim batten 4000K

- Ideal replacement for twin T8 surface mount battens
- Switchable wattage
- 20mm conduit entries
- Flicker free
- Plug & play microwave sensor and emergency module
- BESA box fitting points
- TP(a) rated diffuser



Overview

The Kosnic Kennet GO battens utilise high performance LEDs to offer outstanding lumen efficiency, with wattage switchable for flexibility. They are suitable for a wide range of applications including offices, corridors, warehouses, factories and garages.

General Information

Materials	Housing - Polycarbonate
Installation Area	Internal

Technical Summary

Product Code	KENG24F-W40
--------------	-------------

KENG24F-KENG24F-W40

Overview

The Kosnic Kennet GO battens utilise high performance LEDs to offer outstanding lumen efficiency, with wattage switchable for flexibility. They are suitable for a wide range of applications including offices, corridors, warehouses, factories and garages.



General Information

Materials	Housing - Polycarbonate
Installation Area	Internal

Optional Gear

Product Code	Description	Type
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK KosnicUK

Kennet Go

KENG25F-W40 KENG25F-W40

Kennet Go 28/34/41/48W 5ft slim batten 4000K

- Ideal replacement for twin T8 surface mount battens
- Switchable wattage
- 20mm conduit entries
- Flicker free
- Plug & play microwave sensor and emergency module
- BESA box fitting points
- TP(a) rated diffuser



Overview

The Kosnic Kennet GO battens utilise high performance LEDs to offer outstanding lumen efficiency, with wattage switchable for flexibility. They are suitable for a wide range of applications including offices, corridors, warehouses, factories and garages.



General Information

Materials	Housing - Polycarbonate
Installation Area	Internal

Technical Summary

Product Code

KENG25F-W40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



KENG25F KENG25F-W40

Overview

The Kosnic Kennet GO battens utilise high performance LEDs to offer outstanding lumen efficiency, with wattage switchable for flexibility. They are suitable for a wide range of applications including offices, corridors, warehouses, factories and garages.



General Information

Materials	Housing - Polycarbonate
Installation Area	Internal

Optional Gear

Product Code	Description	Type
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kennet Go

KENG26F-W40 KENG26F-W40

Kennet Go 37/47/56/65 6ft slim batten 4000K

- Ideal replacement for twin T8 surface mount battens
- Switchable wattage
- 20mm conduit entries
- Flicker free
- Plug & play microwave sensor and emergency module
- BESA box fitting points
- TP(a) rated diffuser



Overview

The Kosnic Kennet GO battens utilise high performance LEDs to offer outstanding lumen efficiency, with wattage switchable for flexibility. They are suitable for a wide range of applications including offices, corridors, warehouses, factories and garages.

General Information

Materials	Housing - Polycarbonate
Installation Area	Internal

Technical Summary

Product Code	KENG26F-W40
--------------	-------------

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK KosnicLightingUK

KENG20F KENG26F-W40

Overview

The Kosnic Kennet GO battens utilise high performance LEDs to offer outstanding lumen efficiency, with wattage switchable for flexibility. They are suitable for a wide range of applications including offices, corridors, warehouses, factories and garages.



General Information

Materials	Housing - Polycarbonate
Installation Area	Internal

Optional Gear

Product Code	Description	Type
BEM203	3W standard UEM for linear LED luminaire	Emergency Module
BEM203/DA	Batten UEM DALI-2, 3W emergency module for Kosnic LED batten luminaires	Emergency Module
BEM203/ST	3W self-test UEM for linear LED luminaire	Self-test Emergency Module
BEM303	BEM Emergency Module 3W for Kosnic Battens	Emergency Module
BEM303/DA	BEM 3W DALI switchable for Kosnic Battens	Emergency Module
BEM303/ST	BEM 3W Self test emergency module for Kosnic Battens	Self-test Emergency Module
NIV-MWS	Niva plug-in ON/OFF microwave sensor	Microwave Sensor
PIR-SID	P30 Exterior PIR Sensor Side-Mount with RMT-UNI control	PIR Sensor

Accessories

Product Code	Description	Type
SUS-BTN04	Suspension for Niva Kasai Kennet Milo Congo Trent Avon Indus, 4 wires included, max. 1m drop	Suspension Kit
SUS-BTN04/25	Batten Suspension Kits 2.5m length, 4 wires included	Suspension Kit

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com

