


Luna Adaptor

LUN-CVT76 LUN-CVT76

Luna Adaptor 60mm to 76mm

- Adapter for conversion between 60mm to 76mm
- Quick and easy to install
- Compatible with Luna



Technical Summary	
Product Code	LUN-CVT76

Overview

The Luna LED street light offers energy savings and high performance, replacing conventional lighting for roadways, passages, parks and courtyards. It is waterproof rating of IP67 and a robust construction IK10. Plus, you are able to add-on some of our popular PIR sensors, compatible with the Uni-Remote.

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Luna Adaptor

LUN- LUN-CVT76

Overview

The Luna LED street light offers energy savings and high performance, replacing conventional lighting for roadways, passages, parks and courtyards. It is waterproof rating of IP67 and a robust construction IK10. Plus, you are able to add-on some of our popular PIR sensors, compatible with the Uni-Remote.

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



LUN60-W22 LUN60-W22

Luna LED Street light 25W/40W/60W, 2200 K

- High efficiency up to 165lm/W
- IP67 & IK10 rated
- Suitable for pole mounting (60 ± 5 mm)
- Whole structure heat dissipation
- Darksky version available



Overview

The Luna LED street light offers energy savings and high performance, replacing conventional lighting for roadways, passages, parks and courtyards. It is waterproof rating of IP67 and a robust construction IK10. Plus, you are able to add-on some of our popular PIR sensors, compatible with the Uni-Remote.

IP66



General Information

IK Rating	IK08
IP Rating	IP66
Installation Area	External

Technical Summary

Product Code

LUN60-W22

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

LUN60-LUN60-W22

Overview

The Luna LED street light offers energy savings and high performance, replacing conventional lighting for roadways, passages, parks and courtyards. It is waterproof rating of IP67 and a robust construction IK10. Plus, you are able to add-on some of our popular PIR sensors, compatible with the Uni-Remote.

IP66



General Information

IK Rating	IK08
IP Rating	IP66
Installation Area	External

Optional Gear

Product Code	Description	Type
CONP-P	Condor Pro PIR Sensor with Zhaga connector	PIR Sensor
CON-P	Condor PIR sensor with Zhaga Socket Small lens 10m detection range	PIR Sensor
CON-P/BLE	Condor Bluetooth PIR sensor Zhaga connector ON/OFF 0-10V Dimming	PIR Sensor
MWS-ZGA	Zhaga microwave motion sensor, 1-10V dim output	Microwave Sensor

Accessories

Product Code	Description	Type
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control
LUN-CVT76	Luna Adaptor 60mm to 76mm	Adaptor

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



LUN60-W40 LUN60-W40

Luna LED Street light 25W/40W/60W, 4000 K

- High efficiency up to 165lm/W
- IP67 & IK10 rated
- Suitable for pole mounting (60 ± 5 mm)
- Whole structure heat dissipation
- Darksky version available



Overview

The Luna LED street light offers energy savings and high performance, replacing conventional lighting for roadways, passages, parks and courtyards. It is waterproof rating of IP67 and a robust construction IK10. Plus, you are able to add-on some of our popular PIR sensors, compatible with the Uni-Remote.

IP66



General Information

IK Rating	IK08
IP Rating	IP66
Installation Area	External

Technical Summary

Product Code

LUN60-W40

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com



Kosnic Lighting KosnicUK

KosnicLightingUK

LUN60-LUN60-W40

Optional Gear

Product Code	Description	Type
CONP-P	Condor Pro PIR Sensor with Zhaga connector	PIR Sensor
CON-P	Condor PIR sensor with Zhaga Socket Small lens 10m detection range	PIR Sensor
CON-P/BLE	Condor Bluetooth PIR sensor Zhaga connector ON/OFF 0-10V Dimming	PIR Sensor
MWS-ZGA	Zhaga microwave motion sensor, 1-10V dim output	Microwave Sensor

Accessories

Product Code	Description	Type
RMT-UNI	Universal Remote Control for Kosnic motion sensors	Remote Control
LUN-CVT76	Luna Adaptor 60mm to 76mm	Adaptor

Overview

The Luna LED street light offers energy savings and high performance, replacing conventional lighting for roadways, passages, parks and courtyards. It is waterproof rating of IP67 and a robust construction IK10. Plus, you are able to add-on some of our popular PIR sensors, compatible with the Uni-Remote.

IP66



General Information

IK Rating	IK08
IP Rating	IP66
Installation Area	External

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com

