

Skylineslim

Skyline Slim+ 10W LED Floodlight - 4000K

Part Code: 10980

The Skyline Slim+ LED Floodlight is suitable for a wide range of applications. Available in a vast range of wattages, this low energy floodlight is ideal for any lighting project, big or small.

- Marine Grade Aluminium body
- Fully encapsulated IP65 TUV certified driver
- 10/20/30/50W versions are genuine replacements for Halogen Floodlights
- 70/100/150/200W versions are genuine replacements for Metal Halide Floodlights
- Average 8M detection range for PIR Floods



5 Year
Guarantee



50,000
Life Hours



IK8
Rated



IP65
Rated

Skylineslim



Product Category	Fittings / LED Floodlights
Application	External Lighting
Product Warranty	5 Years
EAN	5013588109800
Commodity Code	9405423990
Country of Origin	CN

Technical Specification

Wattage (W)	10
Equivalent Wattage (W)	120
Volts (V)	240
Colour Temperature (K)	4000
Lumen Output (lm)	1397
Lumens per Watt (lm/W)	140
CRI (ra)	80
Frequency (Hz)	50/60
LED Drive Current	130mA
Energy Consumption (kWh/1000h)	10
Life Hours	50000
Switching Cycles	25000
IK Rating	IK08
IP Rating	IP65
Operating Temperature	-30°C to +35°C
Lumen Maintenance Ratio	80

Packaging Information

Minimum Order Quantity	1
Height (mm)	134
Width (mm)	112
Depth (mm)	31
Individual Product Weight (kg)	0.368
Single Box Weight (kg)	0.42078
Single Box Height (mm)	113
Single Box Width (mm)	63
Single Box Depth (mm)	126
Single Box Volume	0.0009
Outer Box Qty	12
Outer Box Barcode	1098000000012
Outer Box Weight (kg)	5.40897
Outer Box Height (mm)	395
Outer Box Width (mm)	232
Outer Box Depth (mm)	132
Outer Box Volume	0.0121
UNSPSC Code	39111626

Skylineslim

Additional Information

Beam Angle	110°
Power Factor	>0.9
Windage	0.009m ²
LED Chip	Phillips
Flex	1m