

Skylineslim

Skyline Slim+ 70W LED Floodlight with PIR - 4000K

Part Code: 10989

The Skyline Slim+ LED Floodlight is suitable for a wide range of applications. Available in a vast range of wattages, this low energy floodlight is ideal for any lighting project, big or small.

- Marine Grade Aluminium body
- Fully encapsulated IP65 TUV certified driver
- PIR Over-ride function
- Average 8M detection range for PIR Floods
- Separately tested IP65 PIR



5 Year
Guarantee



50,000
Life Hours



IK8
Rated



IP65
Rated

Skylineslim



Product Category Fittings / LED Floodlights

Application External Lighting

Product Warranty 5 Years

EAN 5013588109893

Commodity Code 9405423990

Country of Origin CN

Technical Specification

Wattage (W)	70
Equivalent Wattage (W)	100
Volts (V)	240
Colour Temperature (K)	4000
Lumen Output (lm)	9072
Lumens per Watt (lm/W)	130
CRI (ra)	80
Frequency (Hz)	50/60
LED Drive Current	715mA
Energy Consumption (kWh/1000h)	70
Life Hours	50000
Switching Cycles	25000
IK Rating	IK08
IP Rating	IP65
Operating Temperature	-30°C to +35°C
Lumen Maintenance Ratio	80

Packaging Information

Minimum Order Quantity	1
Height (mm)	300
Width (mm)	229
Depth (mm)	72
Individual Product Weight (kg)	2.3
Single Box Weight (kg)	2.44756
Single Box Height (mm)	234
Single Box Width (mm)	78
Single Box Depth (mm)	300
Single Box Volume	0.00548
Outer Box Qty	6
Outer Box Barcode	1098900000006
Outer Box Weight (kg)	15.28285
Outer Box Height (mm)	474
Outer Box Width (mm)	243
Outer Box Depth (mm)	306
Outer Box Volume	0.03525
UNSPSC Code	39111626

skyline slim

Additional Information

Beam Angle	110°
Power Factor	>0.9
Windage	0.043m ²
LED Chip	Phillips
Flex	1m