

# Skylineslim

## Skyline Slim+ 70W LED Asymmetric Floodlight - 4000K

### Part Code: 10996

The Skyline Slim+ LED Floodlight is suitable for a wide range of applications. Available in a vast range of wattages, this low energy floodlight is ideal for any lighting project, big or small.

- Marine Grade Aluminium body
- Fully encapsulated IP65 TUV certified driver
- 10/20/30/50W versions are genuine replacements for Halogen Floodlights
- 70/100/150/200W versions are genuine replacements for Metal Halide Floodlights
- Average 8M detection range for PIR Floods



**5 Year**  
Guarantee



**50,000**  
Life Hours



**IK8**  
Rated



**IP65**  
Rated

# Skylineslim



**Product Category** Fittings / LED Floodlights

**Application** External Lighting

**Product Warranty** 5 Years

**EAN** 5013588109961

**Commodity Code** 9405423990

**Country of Origin** CN

## Technical Specification

Wattage (W)	70
Equivalent Wattage (W)	100
Volts (V)	240
Colour Temperature (K)	4000
Lumen Output (lm)	8993
Lumens per Watt (lm/W)	128
CRI (ra)	80
Frequency (Hz)	50/60
LED Drive Current	715mA
Energy Consumption (kWh/1000h)	70
Life Hours	50000
Switching Cycles	25000
IK Rating	IK08
IP Rating	IP65
Operating Temperature	-30°C to +35°C
Lumen Maintenance Ratio	80

## Packaging Information

Minimum Order Quantity	1
Height (mm)	259
Width (mm)	229
Depth (mm)	48
Individual Product Weight (kg)	3.096
Single Box Weight (kg)	3.28437
Single Box Height (mm)	280
Single Box Width (mm)	70
Single Box Depth (mm)	323
Single Box Volume	0.00633
Outer Box Qty	4
Outer Box Barcode	1099600000004
Outer Box Weight (kg)	13.6759
Outer Box Height (mm)	292
Outer Box Width (mm)	284
Outer Box Depth (mm)	329
Outer Box Volume	0.02728
UNSPSC Code	39111626

# skyline slim

## Additional Information

Beam Angle	110°
Power Factor	>0.9
Windage	0.074m <sup>2</sup>
LED Chip	Phillips
Flex	1m