

# LED

# Filament GLS

## LED 5.7W Dimmable Clear Filament GLS - ES - 2700K

### Part Code: 60765

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament GLS is an all rounder for decorative applications due to the wide range of wattages we offer.

- LED Technology with the elegance of Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- Argon gas filled to improve life
- Smooth dimming on rotary and digital dimming systems
- Compatible with most branded Trailing Edge Dimmers, including the BELL Smart Universal LED Trailing/Leading Edge Dimmer Module Code: 10803



**85**

Colour Rendering Index



**3 Year**

Guarantee



**15,000**

Life Hours



**80**

Lumens Maintenance Ratio



# LED

# Filament GLS



|                          |                  |
|--------------------------|------------------|
| <b>Product Category</b>  | Lamps / LED      |
| <b>Application</b>       | LED Filament GLS |
| <b>Product Warranty</b>  | 3 Years          |
| <b>EAN</b>               | 5013588607658    |
| <b>Commodity Code</b>    | 8539520000       |
| <b>Country of Origin</b> | CN               |

## Technical Specification

|                                |       |
|--------------------------------|-------|
| Volts (V)                      | 240   |
| Lumens per Watt (lm/W)         | 143   |
| CRI (ra)                       | 85    |
| Frequency (Hz)                 | 50/60 |
| Energy Consumption (kWh/1000h) | 6     |
| Life Hours                     | 15000 |
| Switching Cycles               | 8000  |
| Energy Rating                  | D     |

## Packaging Information

|                                |          |
|--------------------------------|----------|
| Height (mm)                    | 102      |
| Diameter (mm)                  | 60       |
| Individual Product Weight (kg) | 0.033    |
| Inner Box Qty                  | 10       |
| Inner Box Height (mm)          | 140      |
| Inner Box Width (mm)           | 340      |
| Inner Box Depth (mm)           | 140      |
| Inner Box Weight (kg)          | 0.65     |
| Inner Box Volume               | 0.00666  |
| Outer Box Qty                  | 100      |
| Outer Box Height (mm)          | 290      |
| Outer Box Width (mm)           | 730      |
| Outer Box Depth (mm)           | 360      |
| Outer Box Weight (kg)          | 6.92     |
| Outer Box Volume               | 0.07621  |
| UNSPSC Code                    | 39101628 |

# LED

# Filament GLS

### Additional Information

|            |      |
|------------|------|
| Beam Angle | 300° |
| Cap        | ES   |