

OT CABLE CLAMP E-STYLE

OPTOTRONIC Cable Clamp



Product family features

- Easy to install and flexible cable clamps
- Separate cable clamps for primary and secondary side
- Pre-fixed, captive screws
- Through-looping (TL version - max. 10A mains through wiring current)

Product family benefits

- Simple and quick cable mounting
- Sufficient space for cable connection
- Cost-effective and space-saving solution (TL version)
- Free cable connection thanks to open flaps
- Immediate installation thanks to pre-assembled cable clamps

Areas of application


- Downlights, flat luminaires
- Suitable for different cable types
- Suitable for indoor installations

Technical data

Electrical data

System wattage	0 W
----------------	-----

Dimensions & weight



Length	38.0 mm
Height	25.0 mm
Width	53.0 mm
Product weight	16.00 g
Mounting hole spacing, length	not relevant mm
Mounting hole spacing, width	not relevant mm

Temperatures & operating conditions

Permitted rel. humidity during operation	5...85 % ¹⁾
Temperature range at storage	-40...+85 °C

1) Maximum 56 days/year at 85 %

Certificates & standards

Type of protection	n/a
--------------------	-----

Logistical data

Commodity code	39269097900
Applicable region	APAC (excl. China, India, Japan) / EUROPE / INDIA / MEA / SOUTH AMERICA

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	28-07-2026
Primary Article Identifier	4052899167896 6977770432185
Declaration No. in SCIP database	In work
SCIP_STATUS	In work
SCIP_ID	

Download Data

File		
CAD data	UNKNOWN	▶ OT CABLE CLAMP E-STYLE IGS
CAD data	UNKNOWN	▶ OT CABLE CLAMP E-STYLE STEP
CAD data PDF	PDF	▶ OT CABLE CLAMP E-STYLE PDF

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
6977770432185 INVENTRONICS	OT CABLE CLAMP E- STYLE	Shipping carton box 20 Pieces	278 x 87 x 70 mm	1.69 dm ³	19.15 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.