



12
kWh/1000h

A+
energy class

88
lumens/watt

GE Bright Stik™

LED12/STIK/830/100-240/B22/F 2/10
93038719

Product information

LED Bright Stik™ illuminates spaces with light instantly. Its sleek cylindrical shape fits in place of a traditional incandescent bulb - and some sockets where a traditional bulb or CFL doesn't fit. Replace a 40W, 60W & 100W incandescent with an LED Bright Stik and keep saving for the next 15 years*. That's a long time you can spend not worrying about light bulbs.

Product data

Product Code	93038719
Bulb Finish	White
Bulb Diameter [mm]	45
Nominal Length [mm]	136
Net weight per piece [g]	81
Brand	GE Lighting
Cap/Base	B22

Performance data

Nominal/ Rated Beam Angle [°]	240
Weighted energy consumption [kWh/1000h]	12.0
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Power factor	0.7
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	1060
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor...	0.7
Number of switching cycles	100000
Dimming Capability	No
Nominal lamp voltage range [V]	100-240
Nominal power [W]	12.0

Logistic data

DUN Code	10064894544306
EAN Code	0064894544309
Pack Quantity	10
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[User Manual for the Bright Stik™ products \(PDF\)](#)

[Images \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

